

Index

References given in **boldface** refer to pages where terms are defined.

A

- Absolute entropies, 651
- Absolute zero, **15**, 312
- Absorbance, 841
- Absorption spectrum, **841**
 - of octahedral complexes, 847
- Acceleration, units of, 17
- Accuracy, **21**–**22**
- Acetaldehyde (ethanal), 924
- Acetamide, 156
- Acetaminophen, 181, 927
- Acetate, 121, 230
- Acetate ion, 605, 925
- Acetic acid (ethanoic acid), 208, 234, 528, 537, 925, 926, 927
 - acid-dissociation constants for, 552
 - common-ion effect and, 591–592
 - dissociation of, 227
 - percent dissociation of, 558
 - reaction with strong base, 588
 - reaction with weak base, 589
 - structure of, 181, 300, 382, 529
 - titration with strong base, 604–605
 - as weak acid, 541
- Acetic acid-sodium acetate buffer solution, 595–597
- Acetone (propanone), 349, 386, 425, 770, 913, 923, 924
- Acetonitrile, 483
- Acetylene (ethyne), 676
 - carbon bonding in, 900, 901
 - sp* hybridization in, 170
 - standard heat of formation for, 281, 283
- Acetylsalicylic acid, 552
- Achiral, **837**
- Acid anhydrides, 745
- Acid-base adduct, 574
- Acid-base indicator, 207, **547**–**548**, 607
- Acid-base neutralization reactions, **225**–**226**, 235–236
- Acid-base titration, 207
- Acid-dissociation constant (K_a), **551**–**553**
 - base-dissociation constant and, 564–565
- Acid-dissociation equilibrium, 538
- Acidic cations, in salts, 569–570
- Acidic oxides, 745
- Acidic salt, 566
- Acidic solutions, salts that yield, 566–568
- Acid rain, 329, 576–577, 864
- Acids, **232**. *See also* pH
 - acid-base concepts
 - Arrhenius theory, **537**–**538**, 539
 - Brønsted-Lowry theory, **538**–**540**
 - binary, 571
 - common, 234
 - conjugate, **538**
 - diprotic, **233**, 560
 - Lewis, **573**–**575**
 - monoprotic, **233**
 - naming, 234–235
 - neutralization reactions and, 235–236
 - oxo-, **234**, 571–573
 - polyprotic, **559**–**562**
 - salts and, 566–570
 - strength of, 540–543
 - factors affecting, 570–573
 - strong, **233**, **541**, 542, 549–551
 - triprotic, **233**
 - weak. *See* Weak acids
- Acrilan, 929
- Acrylonitrile, 184, 929
- Actinides, 8, 9, 810
- Actinium, 8
- Activated complex, 465
- Activation energy (E_a), **465**
 - Arrhenius equation and, 523
 - catalysts and, 472, 520, 521
 - spontaneous processes and, 642
- Active site, 477
- Activity series, **242**–**244**, 735
- Acute chemical toxicity, **29**
- Addition reactions, **916**–**917**
- Adenosine triphosphate (ATP), 366
- Adipic acid, 930
- Adrenaline, 138
- Adsorption, 474
- Advanced ceramics, 861, **882**
- Air
 - composition of, 305, 306, 389
 - density of, 18
- Air bags, 317
- Air pollution, 329
- al, 923
- Alanine, 181
- Alanine cation, 609–611
- Alcohols, 913, **920**–**921**
 - grain, 921
 - wood, 920–921
- Aldehydes, 913, **923**–**924**
- Alkali metals. *See* Group 1A elements (alkali metals)
- Alkaline, 124
- Alkaline battery, 252, 704
- Alkaline dry cell, 704

- Alkaline earth metals. See Group 2A elements
(alkaline earth metals)
- Alkaline earth oxides, 549
- Alkanes, **901**–903, 913
branched-chain, **902**
isomers of, 903
naming, 906–909
reactions of, 911–912
straight-chain, **902**, 906
- Alkene polymers, 930
- Alkenes, **913**, **914**–916
reactions of, 916–917
- Alkyl groups, **907**–909
- N*-Alkylpyridium ion, 379
- Alkyl sulfates, 379
- Alkynes, **913**, **914**–916
reactions of, 916–917
- Allotropes, **374**
oxygen, 751
- Alloys, **863**
- Allyl cation, 185
- Alpha (α) radiation, 43–44, **51**, 53
- Alumina, 882, 884
- Aluminosilicates, **780**, 861
- Aluminum, 273, 773
anodizing, 719
ductility of, 868
early periodic table and, 7
electron configuration of, 85, 812
ionization energies of, 107, 109
manufacture of, 714–715
production of, 865
properties of, 771, 882
reactivity of, 773
symbol, 4, 5
uses of, 770, 861
- Aluminum chloride, 118
- Aluminum chloride hexahydrate, 755
- Aluminum hydroxide, 614, 622–623, 753
- Aluminum oxide, 714, 746
- Amethyst, 363
-amide, 927
- Amides, 124, 913, 923, 924, **926**–929
-amine, 922
- Amines, 379, 562–563, 913, **922**
6-Aminohexanoic acid, 939
- Ammonia, 537, 766, 785–786
amines and, 922
base-dissociation constant for, 562
bonding, 100, 145
as covalent hydride, 738
decomposition of, 453–454
dipole moment of, 345
dissolution of, 539
- Haber process for synthesis of, 510–511, 512, 515–516, 518–519, 520–521, 642, 653, 658–659, 735, 784, 785
heat of fusion for, 358
heat of vaporization for, 358
hydrogen bonds in, 351
monodentate ligands in, 825
oxidation state of, 785
reaction of group 1A elements with, 124–125
shape of, 158, 159, 160
 sp^3 hybridization in, 167, 168
standard heat of formation for, 281
synthesis of, 194, 268, 278, 279, 317
as weak base, 233, 234
in weak base-strong acid titration, 607–608
- Ammonium chloride, 273, 287, 288–289
- Ammonium hydroxide, 233
- Ammonium ion, 101, 120, 121, 155–156, 230, 539
- Ammonium perchlorate, 799
- Ammonium salts, 566–567
- Amorphous solids, **362**
- Amount of gas, volume and, 312–314
- Amount of substance, 12
- Ampere (A), 12
- Amphoteric, **622**
- Amphoteric hydroxides, 622–623, 745
- Amphoteric oxides, 745
- Amphotermism, solubility and, 622–623
- Amplitude, 64, **65**
- Amylase, 477
- Analytical balance, 22
- Anesthetics, inhaled, 332–333
- Angular-momentum quantum number (l), **74**
- Anhydrides, 745
- Aniline, 562, 582, 633
- Anions, **101**
basic, 569–570
carboxylate, **925**
galvanic cells and, 681–686
ionic liquids and, 379
metallate, 829
oxo-, **120**–121, 234
radii of, 105
salts that contain basic, 569–570
solubility and, 230
- Anisole, 155
- Anode, 41, **683**–684
corrosion and, 708–709
lithium batteries and, 705–706
sacrificial, 710
- Anodizing, 719
- Antibonding molecular orbital, **173**, 176
- Antimony, 6, 12, 784
properties of, 783
- Antiproton, 669
- Aqueous acids, chromium and, 818–820

- Aqueous ammonia, 589, 619–620
- Aqueous equilibria. *See also* Acids; Bases
buffer solutions, 595–598
common-ion effect, 590–594, 592
solubility and, 616–617
- electrophoresis, 628–629
- Henderson-Hasselbach equation, 598–601
- measuring solubility product, 631–616
- neutralization reactions, 587–590
- pH titration curves, 601–602
- polyprotic acid-strong base titrations, 609–612
- precipitation of ionic compounds, 623–625
- qualitative analysis, 626–627
- selective precipitation, 625
- solubility equilibria, 612–613
- solubility factors, 616–623
- strong acid-strong base titrations, 602–604
- weak acid-strong base titrations, 604–607
- weak base-strong acid titrations, 607–609
- Aqueous hydrogen peroxide, 471–472
- Aqueous potassium permanganate, 236, 237
- Aqueous reactions, 228–229
- Aqueous sodium acetate, 588
- Aqueous sodium chloride, 711–712
- Aqueous sodium hydroxide, 587–588, 588
- Aqueous sodium hypochlorite, 196–197, 252, 799
- Aqueous solutions, 225
- acid-base neutralizations reactions, 225–226, 235–236
- acids and bases, 232–235
- activity series of elements, 242–244
- chemical reactions in, 225–226
- conductivity of, 227
- electrolytes in, 226–228
- oxidation-reduction reactions, 226, 236–239
- activity series of elements and, 242–244
- applications, 251–252
- balancing, 245–249
- identifying, 240–241
- precipitation reactions, 225, 230–232
- redox titrations, 249–251
- Area, units of, 17
- Arene (aromatic), 913
- Argon, 11
- discovery of, 7
- electron configuration of, 85
- in lightbulb, 865
- properties of, 127
- reaction of, 127
- symbol, 4
- Argon-40, 52
- Aristotle, 37
- Aromatic, 918
- Aromatic compounds, 918–920
- Arrhenius, Svante, 232
- Arrhenius acids, 537–538, 539
- Arrhenius bases, 537–538, 539
- Arrhenius equation, 467, 523
- using, 468–470
- Arsenic, 6, 12, 783, 784
- Arsenic trioxide, 29
- Arsine, 878
- Asbestos, 780, 781
- Ascorbic acid (vitamin C), 210, 536, 537, 552, 932
- Aspartame, 186
- Aspirin, 29, 186, 197, 552, 918, 925, 926
- Astatine, 10, 12, 54, 126
- ate, 120, 234
- Atmosphere, Earth's, 329–331
- Atmosphere (atm), 307–308
- Atmospheric pressure, 307
- Atom economy, 253
- Atomic line spectra
- compact fluorescent lights and, 92
- electromagnetic energy and, 66–69
- quantum mechanics and, 80–81
- Atomic mass (atomic weight), 6, 48–49, 193
- calculating, 49
- Atomic mass unit (amu), 44, 46
- Atomic number (Z), 8, 45–47
- atomic radii vs., 63–64
- ionization energy and, 106
- periodicity of, 63–64
- Atomic orbitals, 172
- Atomic radius, 89–91
- atomic number vs., 63–64
- bond length and, 136
- calculating, 370
- covalent bonds and, 136
- of group 1A elements, 123
- of group 2A elements, 125
- of group 7A elements, 126
- ionic solids and, 372
- periodicity of, 63–64
- of transition elements, 813–815
- Atomic theory, 40
- Atom(s), 36, 37, 40
- calculating number in unit cells, 370
- chemical symbols and, 192–193
- ground-state electron configuration, 83–86
- assigning to atom, 88
- identifying atom from, 88–89
- ligand donor, 823–824
- model of, 70–71
- orbital energy levels in multielectron, 82–83
- oxidation numbers, 237–238
- quantum mechanical model of, 72–73
- structure of, 41–45
- electrons, 41–43
- protons and neutrons, 43–45
- unit cells and, 370
- ATP, 366

- Aufbau principle, 83–84, 103
Aurora borealis, 455
Average speed, 323–325
Avogadro's law, 312–314, 315
kinetic-molecular theory of gases and, 323
Avogadro's number, 48–49, 69, 194, 648
Benjamin Franklin and, 215–216
Axial positions, 160
- B
Baking soda, 777
Balanced chemical equation, 189–192
Balances, 14, 22
Ball-and-stick models, 100
Ballpark checks, on calculations, 26
Balmer, Johann, 67
Balmer-Rydberg equation, 68
Balsa wood, density of, 18
Band gap, 873, 874
Band of nuclear stability, 54–55
Band theory, 870, 871
physical properties and, 872
Bar, 315
Barbituric acid, 117
Barium, 4, 6, 10, 125
Barium carbonate, 614
Barium chloride, 373
Barium hydroxide, 234
Barium hydroxide octahydrate, 273, 287, 288–289
Barium lanthanum copper oxide, 879
Barium nitrate, 120
Barium sulfate, 615
Barometer, 307
Base anhydride, 745
Base-dissociation constant (K_b), 562
acid-dissociation constant and, 564–565
Bases, 232. See also pH
acid-base concepts
Arrhenius theory, 539, 537–538
Brønsted-Lowry theory, 538–540
common, 234
conjugate, 538
Lewis, 573–575
neutralization reactions and, 235–236
salts and, 566–570
strength of, 540–543
strong, 233, 542, 549–551
very weak, 542
weak, 233, 542, 562–564
Basic anions, in salts, 569–570
Basic hydroxides, 623
Basic oxides, 745
Basic oxygen process, 866–867
Basic salt, 566
Basic salt solution, 605
Basic solutions, salts that yield, 568–569
- Batteries, 252, 681, 702–706
dry-cell, 704
lead storage, 703–704
lithium and lithium-ion, 705–706
nickel-cadmium, 705
nickel-metal hydride, 705
Bauxite, 745, 773
Bayer process, 746, 773, 864
Bednorz, J. Georg, 879, 880
Bends, 402
Bent bonds, 789–790
Bent molecular shape, 158, 159, 163
Benzaldehyde, 918
Benzene, 913, 918, 919
fractional distillation and, 417–418
heat of fusion for, 358
heat of vaporization for, 358
intermolecular forces and, 391
molar boiling-point-elevation constant, 411
molar freezing-point-depression constant for, 411
as solvent, 391
structure of, 184, 299, 349, 676, 918
surface tension of, 354
vapor pressure of, 408
viscosity of, 353, 354
-benzene, 919
Benzeneamine (aniline), 922
1,4-Benzenedicarboxylic acid, 931
Benzocaine, 925, 926
Benzoic acid, 424, 552, 675, 925, 928
Benzoquinone, 726
Benzyne, 185
Berthelot, Marcellin, 643
Beryl, 780
Beryllia, 882
Beryllium, 7, 10, 84, 107, 125, 241
Beta (β) radiation, 51–52, 53
bi-, 121
Bias
forward, 877
reverse, 877
Bicarbonates, 777
Bidentate ligands, 825, 826
Big bang, 57
Bimolecular reaction, 455, 459
Binary acids, 571
Binary hydrides, 736–741
determining formulas and properties of, 740
metallic, 767
nonmetallic, 767
Binary ionic compounds, 118–120
Binary molecular compounds, naming, 143
Biodiesel, 294–295
Biofuels, 294–295
Bismuth, 783, 784

- Bismuth-209, 55
Blast furnace, 867
Bleach, household, 196–197
Bleaching, 252
Blood
 as buffer solution, 595
 pH, 586, 587, 595
Bloom serum, electrophoresis pattern of, 629
Body-centered cubic packing, **367**, 370
Body-centered cubic unit cell, **368**, 369
 metals and, 868
Bohr, Niels, 70–71
Bohr radius, 97
Boiler scale, 754
Boiling, 272
Boiling point, 361–362
 of covalent binary hydrides, 352
 dipole moment and, 349
 of group 1A elements, 123
 of group 2A elements, 125
 of group 4A elements, 774
 of group 5A elements, 783
 of group 7A elements, 126
 of group 8A elements, 127
 of hydrogen, 731
 normal, **361**
 of solution, 403
Boiling-point elevation of solutions, 409–413
Boltzmann, Ludwig, 647
Boltzmann equation, 647–649
Bomb calorimeter, 274–275
Bond angles, **158**
Bond dipoles, 344
Bond dissociation energy (*D*), **138**–**139**, **284**–**285**
Bonding molecular orbitals, **173**, 176
Bonding pairs, **144**
Bond length, **136**
Bond order, **145**–**146**, 174
Boranes, 144, **772**
Borazine, 185
Boric acid, 634
Born-Haber cycle, **114**–**115**
Boron, 7, 12, 144, 770, 771–772
 compounds, 772
 electron configuration of, 84
 ionization energy of, 107
 properties of, 770–771
 in semiconductors, 771, 875
 symbol, 4
Boron carbide, 882, 884
Boron halides, **772**
Boron hydrides/boranes, 144, **772**
Boron trifluoride, 185, 574
Borosilicate glass (Pyrex), 376
Boyle, Robert, 37
Boyle's law, **310**–**311**, 315
kinetic-molecular theory of gases and, 322, 323
Bragg, William H., 365
Bragg, William L., 365
Bragg equation, **366**
Branched-chain alkanes, **902**
Brass, 821
Breathing, oxygen transport and, 524–525
Bromine, 6, 7, 10, 11, 127, 237, 238, 430, 435,
 491, 912
 addition to alkenes, 917
 as diatomic molecules, 100
 properties of, 126
 symbol, 4
 vapor, 359
Bromine pentafluoride, 164
meta-Bromoethylbenzene, 919
Bromomethane, 458–459
Bromothymol blue, 547, 548
Brønsted, Johannes, 539
Brønsted-Lowry acids, **538**–**540**
Brønsted-Lowry bases, **538**–**540**
Bronze, 821, 863
Buffer capacity, **597**–**598**
Buffer solutions, **595**–**598**
 buffer capacity, **597**–**598**
 Henderson-Hasselbach equation and, 599–601
 hydronium ion added to, 597
 hydroxide added to, 595–596
Buret, 18, 207
Butane, 138, 287, 300, 349, 532, 902, 903, 908
Butanethiol, 221
Butanoic acid, 925, 928
1-Butanol, 394
2-Butanone, 924
Butene, 916
1-Butene, 914, 916
2-Butene, 914–915
cis-2-Butene, 915
trans-2-Butene, 915
Butyl, 908
sec-Butyl, 908
tert-Butyl, 908
tert-Butyl chloride, 533
1-Butyne, 916
2-Butyne, 916
- C
Cadmium selenide, 793
Caffeine, 219
Calcium, 6, 7, 10, 812
 electron configuration of, 810
 properties of, 125
 symbol, 4
Calcium bromide, 118
Calcium carbonate, 329, 500–502, 577, 614, 618
Calcium chloride, 713

- Calcium fluoride, 612, 613, 614
Calcium hydride, 737
Calcium hydroxide, 234
Calcium oxalate, 612
Calcium phosphate, 788
Calcium silicate, 866
Calcium sulfite, 577
Calculations, converting from one unit to another, 25–28
Calculators, 23
Calomel electrode, 699
Calorie (Cal), **21**
calorie (cal), **21**
Calorimeter, 274–275
 bomb, 274–275
Calorimetry, 274–280
Camphor, 411
Candela (cd), 12
Caproic acid, 212–213
Carats, 28
Carbides, **778**
Carbon, 6, 7, 9, 11, 40, 144, 374–375, 774–778
 atomic mass, 48
 carbides, **778**
 carbonates, **777**
 compounds, 775–778
 electron configurations of, 166
 formation of, 57
 in human body, 5
 hybrid orbitals and, 901
 isotopes, 50
 multiple covalent bonds with, 900
 organic chemistry and, 899
 oxides of, **776**, 776–777
 properties of, 774
 symbol, 4, 5
 tetravalent, 899
Carbonate ion, 121
Carbonates, 320, **777**
Carbon atoms, 45, 46
Carbon black, 775
Carbon-carbon double bond, 169, 915
Carbon-carbon triple bond, 170
Carbon dioxide, 143, 743, 769
 in air, 305
 atmospheric, 330
 carbonation, 776
 dipole moment of, 345
 phase diagram of, 377–378
 production and uses of, 776–777
 standard free energy of formation for, 661
 standard heat of formation for, 281
 standard molar entropy for, 652
 structure of, 148
 supercritical, 777
 uses of, 776–777
Carbon disulfide, 384
Carbon fibers, 887
Carbonic acid, 559, 560, 571, 777
Carbonic anhydrase, 477
Carbon monoxide, 143, 281, 454–455, 459–460, 476, 776, 825
 in Mond process, 865
Carbon nanotubes, 775
Carbon neutral, 294
Carbon-oxygen double bond, 375
Carbonyl group, **923**
Carboxyhemoglobin, 776
Carboxylate anion, **925**
Carboxylic acids, 913, 923, 924, **925**
Cars
 electric, 706
 fuel-cell powered, 707, 757
Carvone, 178–179
Cast iron, 866
Catalysis, 470–474
 enzyme, 477–478
Catalysts, **470**–474
 effect on equilibrium, 520–521
 heterogeneous, **474**–476
 homogeneous, **474**–476
Catalytic converters, 476
Cathode, 41, **683**–684
 corrosion and, 708–709
Cathode ray, 41
Cathode-ray tubes (CRTs), 41, 92
Cathodic protection, **709**–710
Cations, **101**
 acidic, 569–570
 galvanic cells and, 681–686
 ionic liquids and, 379
 metal, 626–627
 radii of, 104–105
 solubility and, 230
Caustic potash (potassium hydroxide), 234, 549
Caustic soda (sodium hydroxide), 208, 226, 234, 549, 602–605, 610–611, 681, 731–714
Cavendish, Henry, 731
Cell potential (*E*), **688**–689
 composition of reaction mixture and, 695–698
 free-energy changes and, 710
 Nernst equation and, 695–698
 standard, 700–702
Cell voltage, **688**–689
Celsius (°C) degree, **15**
 conversion to and from Fahrenheit, 16
centi-, 13
Centimeter (cm), **14**
Ceramic composite, **887**
Ceramic-metal composites (cermets), **887**
Ceramic-polymer composites, **887**
Ceramics, 880, **882**–886

- advanced, **882**
nonoxide, 882
oxide, 882
properties of, 882
- Cermets, **887**
- Cesium, 10, 123, 124
- CFCs (chlorofluorocarbons), 330–331
- Chain reaction, 331
- Changes of state. See Phases changes
- Charcoal, 775
- Charge clouds
five, 160–161, 170–171
four, 159–160
six, 162–163, 170–171
three, 158
two, 158
- Charge-to-mass ratio (e/m), 42–43
- Charles's law, **311**–312, 315
kinetic-molecular theory of gases and, 322, 323
- Chelate, **826**
- Chelate ring, **826**
- Chelating agents, **826**
- Chemical bonds, **99**–102
bent, 789–790
covalent. See Covalent bonds
double, **145**
H-A, 570–571
ionic. See Ionic bonds
in metals, 868–872
pi, **169**, 170, 177
sigma, **165**
single, **145**
three-center, two-electron, **772**
in transition metal complexes, 825–827
triple, **145**
- Chemical compounds, **37**, 39
aromatic, **918**–920
- boron, 772
- carbon, 775–778
- containing only second-row elements, 147–149
- coordination. See Coordination compounds
(metal complexes)
- inorganic, 775
- ionic. See Ionic compounds
- naming
binary ionic, 118–120
ionic, 117–122
molecular, 142–143
- nitrogen, 785–788
- nonstoichiometric
- organic, 775
- phosphorus, 790–793
- with polyatomic ions, 120–122
- sulfur, 796–798
- Chemical energy, 264
- Chemical equations, **38**
balancing, 189–192
ionic, **229**, 235–236
molecular, 229
rate laws and, 435
- Chemical equilibrium, 227, 291–292, **491**. See also under Equilibrium
acid-dissociation, 538
calculating concentrations, 505–510
changes in concentration and, 512–515
changes in pressure and, 515–517
changes in temperature and, 518–520
changes in volume and, 515–517
chemical kinetics and, 522–523
effect of catalyst on, 520–521
equilibrium constant (K_c), 493–497, **494**
using, 502–510
equilibrium constant (K_p), **498**–500
equilibrium state, 492–493
free energy and, 665–668
heterogeneous, **500**–502
heterogeneous equilibria, **500**–502
homogeneous, **500**
Le Châtelier's principle and, 510–512
oxygen transport and, 524–525
saturated solution, 399
solubility and, 616–617
in solutions of weak acids, 551–553
calculating, 553–558, 560–561
in solutions of weak bases, 562–564
calculating, 563–564
- Chemical formulas, **38**, 136
empirical, **209**–213
molecular, **209**, 212–213
percent composition and, 208–211
- Chemical kinetics, **429**
Arrhenius equation, **467**
using, 468–470
catalysis, 470–474
enzyme, 477–478
homogeneous and heterogeneous catalysts, 474–476
- first-order reactions, **441**, 451
half-life of, **444**–446
integrated rate law for, **441**–444
radioactive decay rates, 446–449
rate laws, **434**–436
for elementary reactions, 457–459
experimental determination of, 436–440
integrated rate law for first-order reaction, 441–444
for overall reactions, 459–463
- reaction mechanisms, **454**–457, 461–463
- reaction order, **434**–436, 451–452
- reaction rates, 429–434, **430**
temperature and, 464–467
- second-order reactions, **449**–453

- zeroth-order reactions, **453–454**
- Chemical properties, **9, 10**
of elements, **9–12**
examples, **10**
- Chemical reactions, **50, 189**
acid-base neutralization reactions, **225–226, 235–236**
of alkali metals, **123–125**
of alkaline earth metals, **125**
of alkanes, **911–912**
of alkenes and alkynes, **916–917**
of aromatic compounds, **918–920**
bimolecular, **455, 459**
elementary, **454, 522**
 rate laws for, **457–459**
energy changes in, **265**
enthalpy and, **269–270**
expansion work in, **267–269**
first-order, **441–444, 451**
free-energy changes and composition of reaction mixture, **663–665**
half-life of, **444–446**
of halogens, **126–127**
heat of reaction, **269–270**
judging extent of, **502–503**
with limiting amounts of reactants, **199–202**
multistep reactions
 with initial fast step, **460–461, 462–463**
 with initial slow step, **459–460, 462**
of noble gases, **127**
order of, **434–436, 451–452**
oxidation-reduction reactions, **226, 236–239**
precipitation reactions, **225, 230–232**
predicting direction of, **503–505**
rates of, **429–434, 430, 464–467**
second-order, **449–453**
side, **197**
speed of, **428**
in studies of reaction mechanisms, **461–463**
termolecular, **455–456, 459**
unimolecular, **455, 459**
yields, **197–199**
zeroth-order, **453–454**
- Chemicals
top ten U.S. production, **766**
toxicity and, **29**
- Chemical symbols, **192–193**
- Chemical vapor deposition, **878**
- Chemistry, **3**
green, **253–254**
inorganic, **899**
organic. See Organic chemistry
- Chiral, **837–838**
- Chloral hydrate, **186**
- Chlor-alkali industry, **713–714**
- Chlorate, **120, 121**
- Chlorate salts, **799**
- Chloric acid, **234**
- Chloride ion, **825**
- Chlorine, **6, 7, 10, 101, 766**
 addition to alkenes, **917**
 as diatomic molecule, **100, 141**
 manufacture of, **713–714**
 oxidation number of, **238, 239**
 oxygen and, **755**
 properties of, **126**
 reactions of, **126–127**
 in redox reaction, **241**
 symbol, **4**
 water and, **755**
- Chlorine molecule, **100, 141**
- Chlorine trifluoride, **161**
- Chlorite, **120, 121**
- Chlorobenzene, **919**
- Chlorofluorocarbons (CFCs), **330–331**
- Chloroform, **29, 141–142, 332, 337, 411, 911**
- Chloromethane, **89, 181, 344–345, 530, 900**
- para*-Chloronitrobenzene, **919**
- Chlorous acid, **234**
- Cholesterol, **391**
- Chromate ion, **819–820**
- Chromium, **87, 810, 817, 818–820, 865**
- Chromium(III), **818–819**
- Chromium(III) hydroxide, **819**
- Chromium(IV) compounds, **820**
- Chromium oxides, **746**
- Cinnabar, **794, 862, 865**
- Cinnamaldehyde, **185**
- Cis isomers, **833, 836**
- Cisplatin, **200–201, 485, 823, 833**
- Cis-trans isomers, **915**
- Citric acid, **211, 302, 528, 536, 537, 638**
- Clausius-Clapeyron equation, **360–362, 418**
- Coal gasification, **577**
- Cobalt, **810, 812**
- Cocaine, **935**
- Codeine, **563**
- Coefficients, **190**
- Coke, **252, 775**
- Cold packs, **393**
- Colligative properties, **403**
uses of, **415–417**
- Collision theory, **464–466**
- Colloids, **389**
- Color
 quantum dots and, **889**
 of transition metal complexes, **840–842**
- Color wheel, **841**
- Combustion, **38, 251, 266, 274, 643**
 heat of, **285–287**
- Combustion analysis, **211–213**
- Combustion enthalpy (ΔH°_c), **285–287**

- Common-ion effect, 590–594, **592**
solubility and, 616–617
- Compact fluorescent lights, 92
- Complex ions, **619**
solubility and formation of, 618–622
- Composites, 861, **887**–888
- Compounds
coordinate, 840–845
- Compressibility, 305–306
- Concentrated solution, 394
- Concentration
calculating, 505–510
in solution, 228
changes in, 512–515
common-ion effect and, 591–594
equilibrium, 553–558
equilibrium equations and, 494
in equilibrium mixture, 512–515
of pure liquid, 612
of pure solid, 612
of reactants during zeroth-order reaction, 453
of reactants in solution, 202–204
units of, 394–399
voltage and changes in, 697–698
- Concentration-time equation, 441
- Condensation, 355
- Condensed phases, 390
- Condensed structures, **903**–904
- Conduction band, **873**
- Conductors, 870
- Conformations, 904
- Conjugate acid, **538**
- Conjugate acid-base pairs, **538**, 542, 564–565
- Conjugate base, **539**
- Conservation of energy law, **263**
- Conservation of mass, 37–39, 40, 189
- Constitutional isomers, **831**
- Constructive interference, 365
- Contact process, **797**
- Conversion factor, 25–26
- Coordinate covalent bonds, 146, 232, 618
- Coordination chemistry
coordination compounds. See Coordination compounds (metal complexes)
enantiomers and molecular handedness, **837**–840
isomers, **831**–837
valence bond theory, **842**–845
- Coordination compounds (metal complexes), 810, **823**–824, 827–831. *See also* Isomers
bonding in, 842–845
color of, 840–842
crystal field theory and, **845**–850
ligands, 825–827
naming, 827–831
shapes of, 823–824
- Coordination number, **367**, **823**
- Copper, 6, 9, 11, 39, 48, 810, 812, 813, 821–822
crystallization arrangement of, 367
electron configuration of, 87, 810
electrorefining of, 715–716
oxidation of, 815, 821–822
reaction with iron, 242
reaction with silver, 243
refining, 865, 866
symbol, 4
uses of, 861
- Copper(I) chloride, 372–373
- Copper(II) hydroxide, 822
- Copper(II) sulfate pentahydrate, 822
- Copper sulfate, in galvanic cell, 681–685
- Copper sulfides, 821
- Core electrons, **106**
- Cork, density of, 18
- Corrosion, 224, 240, 252, 430, **708**–710
prevention of, 709–710
- Coulomb (C), 42, 688
- Coulomb's law, **116**
- Covalent binary hydrides, 352
- Covalent bonds, **99**–101, 135
coordinate, 146, 618
electron-dot structures, 144–147
formal charges, **155**–157
of polyatomic molecules, 147–153
resonance and, 153–155
- ionic vs., 139
- molecular orbital theory, **172**–174
- molecules and, 135–138
- in organic molecules, 900
- pi, **169**, 170, 177
- polar, **140**–142, 900
dipole moments and, 344–347
in organic molecules, 900
- second-row elements and, 768–769
- sigma, **165**
- strengths of, 138–139
- valence bond theory, **165**–166
- Covalent hydrides, **737**–738
- Covalent network solids, **363**, 364
carbon, 374–375
silica, 375–376
structures of, 374–376
- Covalent oxides, 743
- Critical point, **377**
- Critical temperature (T_c), 377
- CRTs (cathode-ray tubes), 41
- Cryolite, 714
- Crystal field splitting, **846**–848
- Crystal field theory, **845**–850
octahedral complexes, 845–849
square planar complexes, 849–850
tetrahedral complexes, 849–850

- Crystalline solids, 362–364
covalent network, 363, 364
ionic, 362, 364
metallic, 364
molecular, 362–363, 364
packing of spheres in, 366–368
unit cells, 368–372
- Cubic centimeter (1 cm³), 17
- Cubic closest-packed arrangement, 367, 370
- Cubic decimeter (1 dm³), 17
- Cubic meter (m³), 17
- Curl, Robert F., Jr., 775
- Cyanide ion, 825
- Cyanides, 120, 121, 777–778
- Cycloalkanes, 909–911
- Cyclobutane, 910
- Cyclohexane, 184, 910
- Cyclohexanol, 920
- Cyclohexanone, 924
- Cyclooctatetraene dianion, 187
- Cyclopentane, 910
- Cyclopropane, 444, 534, 910
- Cysteine, 218
- Cytosine, 217
- D
- Dacron, 925, 931
- Dalton, John, 39–40
- Dalton (Da), 46
- Dalton's law of partial pressures, 320–322, 323, 408
- Daniell, John Frederick, 683
- Daniell cell, 683, 686
- Davy, Humphrey, 232, 712
- d-block elements, 87, 809. *See also* Transition elements
- d-block metals, 862, 863
- DDT, 29
- de Broglie, Louis, 71
- de Broglie equation, 72
- Debyes (D), 344
- 1-Decanol, 383
- Decay, 50
- Decay constant, 447–449
- Deci-, 13
- Degenerate, 84
- Degenerate energy levels, 870
- Degree Celsius (°C), 15
- Deka-, 13
- Democritus, 37
- Density, 18
- of alkali metals, 123
- calculating, 20, 371
- of ceramics, 883
- to convert mass percent concentration to molarity, 396
- to convert molality to molarity, 398
- to convert molarity to other concentration measures, 398–399
- of gas, 318, 319
- of group 2A elements, 125
- of group 3A elements, 771
- of group 4A elements, 774
- of group 7A elements, 126
- ideal gas law and, 318, 319
- measuring, 18–20
- temperature and, 18–19
- of transition elements, 813–815
- units of, 17
- of water, 18–19
- Deoxyribonucleic acid (DNA), 351
- Deposition, 355
- Derived units, 16–17
- for measuring density, 18–20
- for measuring volume, 16–18
- Desalination, 415–416
- Desflurane, 332, 333
- Destructive interference, 365
- Deuterium, 46, 732–733
- dextro-, 178
- Dextromethorphan, 178–179
- Diacids, 931
- Dialcohols, 931
- 1,3-dialkylimidazolium ions, 379
- Dialysis, 420
- Diamagnetic, 175
- Diamond, 374–375, 661, 774, 873, 874
- Diastereoisomers, 831, 832–835
- Diatom molecules, 100
- molecular orbital theory and, 172–176
- Diatom oxygen, 748
- Diazepam (Valium), 919
- Diborane, 738, 772
- 1,2-Dichlormethane, 220
- Dichlorodifluoromethane, 386
- 1,2-Dichloroethane, 676
- Dichloromethane, 199
- 1,2-Dichloromethane, 917
- Dichromate ion, 819–820
- Diethyl ether, 198–199, 298, 411, 528, 922
- Diffraction, 364–365
- Diffusion, 325–327
- Dihydrogen phosphate, 121
- Dihydrogen phosphate ion, 634
- Dilute solution, 394
- Diluting concentrated solutions, 204–205
- Dimensional-analysis method, 25–26
- Dimer, 534
- Dimethylamine, 562, 563, 582, 922, 928
- N,N-Dimethylbenzamide, 928
- ortho-Dimethylbenzene, 919
- Dimethyl ether, 903, 913

2,6-Dimethyloctane, 908
2,2-Dimethylpropane, 350, 351, 902
Dimethyl sulfoxide, 184
Dinitrogen pentoxide, 430, 431–433
Dinitrogen tetroxide, 143, 492, 503, 786
Diode lasers, 876, 878
Diodes, 876–877
Diopside, 780
Dioxygen, 741, 751
Diphosphoric acid, 792
Dipole, **344**
 molecular, 344
Dipole-dipole forces, 347, **348**–349, 353, 648
Dipole moment, **344**–347, 648
 boiling points and, 349
 calculating percent ionic character from, 345
 of common compounds, 344
Diprotic acid, **233**, 560
Diprotic acid-strong base titrations, 609–612
Direct methanol fuel cell (DMFC), 707
Disproportionation, **749**
Dissociation, **226**–227
 of alanine cation, 609
 percent, **558**
 van't Hoff factor and, 405
 of water, 543–545, **544**, 564
Dissociation constants
 acid-. See Acid-dissociation constant
 base-, **562**
 decrease of successive, 791
 for polyprotic acids, 559
Dissociation reactions, 539
Distillation, 286
 fractional, **417**–419
DMFC. See Direct methanol fuel cell
DNA, 351
Döbereiner, Johann, 6
Doping, **874**
d orbitals, 78–79, 170
 metal complexes and, 846–847, 849–850
 shapes of, 849–850
Double bonds, **145**
 carbon-carbon, 169, 915
 carbon-oxygen, 375
 in oxygen, 741
 silicon-oxygen, 375
Downs cell, 713
Drugs, handedness and, 178–179
Dry-cell batteries, 704
Dry ice, 272, 378, 776
 dsp^2 hybrid orbitals, 843, 844
 d^2sp^3 hybrid orbitals, 842, 843, 844
d subshell, 74
Dyes, 919, 932
Dysprosium, 55

E
Earth
 atmosphere, 328–331
 carbon in crust, 773
 density of, 18
 hydrogen and, 732
 iron in crust, 820
 most abundant elements in crust, 765
 oxygen in crust, 741
 phosphorus in crust, 788
 relative abundance of elements on, 5
 silicon and oxygen in crust, 375
 sulfur in crust, 794
 titanium in crust, 851
 water on, 225, 752, 753
Effective nuclear charge (Z_{eff}), **83**
 ionic radii and, 105
 ionization energy and, 109
 octet rule and, 112
 periodic table and, 767
 of transition elements, 814
 for valence-shell electrons, 90–91
Effusion, **325**–327
Einstein, Albert, 69, 72
eka-aluminum (gallium), 7
eka-silicon (germanium), 7
Electrical conductivity
 of aqueous solutions, 227
 of semiconductors, 873–875
Electrical insulators, 870–871
Electric cars, 27, 706
Electric current, 12
Electrochemical art, 719
Electrochemical cells, 681, **681**
Electrochemical determination of pH, 698–700
Electrochemistry, **681**
 batteries, 681, 702–706
 cell potentials, **688**–689, 695–698
 corrosion, **708**–710
 electrochemical art, 719
 electrochemical determination of pH, 698–700
 electrolysis, **710**–713
 commercial applications of, 713–716
 quantitative aspects of, 716–718
 free-energy changes for cell reactions, 688–689
 fuel cells, **706**–707
 galvanic cells, **681**–686
 shorthand notation for, 686–688
 Nernst equation, 695–698, **696**
 standard cell potentials, 700–702
 standard reduction potentials, 689–693, **691**
 using, 693–695
Electrodes, 41, **683**
 calomel, 699
 glass, 699
 standard hydrogen, **690**–691

- Electrolysis, **710**–**713**
of aqueous sodium chloride, **711**–**712**
commercial applications, **713**–**716**
 aluminum manufacture, **714**–**715**
 chlorine manufacture, **713**–**714**
 electroplating, **716**
 electrorefining, **715**–**716**, **865**, **866**
 sodium hydroxide manufacture, **713**–**714**
 sodium manufacture, **713**
 copper purification and, **866**
 of molten sodium chloride, **710**–**711**
 quantitative aspects of, **716**–**718**
 separating hydrogen isotopes by, **733**
 of water, **712**, **733**
- Electrolytes, **226**
 in aqueous solution, **226**–**228**
 classification of common substances, **228**
 strong, **227**, **233**, **541**
 weak, **227**, **233**
- Electrolytic cells, **681**, **710**–**713**
- Electromagnetic energy, **64**
 atomic line spectra and, **66**–**69**
 particlelike properties of, **69**–**71**
- Electromagnetic spectrum, **64**–**66**
 visible and invisible regions of, **66**–**68**
- Electromagnetic waves, interference of, **365**
- Electromotive force (emf), **688**
- Electron affinity (E_{ea}), **96**, **110**–**111**
 electronegativity and, **141**
 of group 7A elements, **126**
- Electron capture, **52**–**54**
- Electron configurations, **83**–**86**
 anomalous, **87**
 excited-state, **166**
 ground-state, **83**–**86**
 ionization energies and, **106**–**107**
 of ions, **102**–**104**
 of multielectron atoms, **83**–**86**
 noble gas, **102**–**103**
 periodic properties and, **89**–**91**
 periodic table and, **87**–**89**
 of transition elements, **810**–**812**
 valence-shell, **87**–**89**
- Electron-dot structures, **144**–**147**
 formal charges, **155**–**157**
 of polyatomic molecules, **147**–**153**
 resonance and, **153**–**155**
- Electronegativity (EN), **141**–**142**
 acid strength and, **570**–**572**
 oxidation numbers and, **238**
- Electron-electron repulsions, **136**
- Electronic balance, **14**
- Electrons, **42**–**43**, **44**, **57**
 core, **106**
 Heisenberg uncertainty principle and, **73**
 wave functions, **73**–**76**
- Electron-sea model, **868**–**869**
- Electron shielding, **82**–**83**, **90**
- Electron spin, **82**
- Electrophoresis, **628**–**629**
- Electroplating, **716**
- Electrorefining, **715**–**716**
- Electrostatic potential maps, **140**, **344**, **570**–**571**
- Elemental analysis, **211**–**213**
- Elemental chlorine, **252**
- Elementary reaction/step, **454**, **522**
 rate laws for, **457**–**459**
- Elements, **4**–**6**, **37**
 activity series of, **242**–**244**
 change into another, **50**
 chemical properties of, **9**–**12**
 common, **4**
 ground-state electron configuration of, **84**–**86**
 origin of, **57**
 periodic table and, **6**–**9**, **87**–**89**
 relative abundance in human body, **5**
 relative abundance on Earth, **5**
 symbols, **4**, **5**
- Emerald, **780**
- Empirical formula, **209**–**213**
 calculating from percent composition, **210**
 determining using elemental analysis, **211**–**213**
- Enantiomers, **831**, **837**–**840**
- Endothermic reactions, **273**, **518**
 N₂ molecule reactions as, **785**
 solutions and, **393**
- Energy, **20**, **263**
 activation. See Activation energy
 of an ideal gas, **649**
 biofuels and, **294**–**295**
 bond dissociation, **138**–**139**, **284**–**285**
 calorimetry, **274**–**280**
 chemical, **264**
 conservation of, **263**–**264**
 electromagnetic. See Electromagnetic energy
 enthalpy and, **269**–**270**
 of physical and chemical change, **272**–**274**
 entropy, **287**–**289**
 expansion work and, **267**–**269**
 fossil fuels, **285**–**287**
 free. See Free energy
 heat capacity, **275**–**280**
 heat of combustion, **285**–**287**
 Hess's law, **278**–**280**
 internal, **265**–**267**
 ionization. See Ionization energy
 kinetic, **20**, **263**, **649**
 lattice. See Lattice energy
 measuring, **20**–**21**
 potential, **20**, **263**
 radiant, **64**
 solar, **669**–**670**

- standard heat of formation, 281–283
thermal, 264
thermodynamic standard state, 271–272
units of, 17
- Energy changes, 263–267
electron affinity and, 110–111
ionic bonds and, 113–114
measuring, 265
net, 114
solution process and, 390–394
- Enthalpy change (ΔH), 270, 654
Hess's law and, 278–280
phase changes and, 355–356
in solutions, 392–394
standard heat of formation and, 281
- Enthalpy (H), 270, 290
of, 272
of chemical change, 273–274
combustion, 285–287
of fusion, 272, 357, 412
of physical change, 272–273
of solution, 392–393
spontaneous processes and, 643–647
standard enthalpy of reaction, 271
of vaporization, 272, 357, 405, 411
- Enthalpy of solution (ΔH_{soln}), 392–393
- Entropies of vaporization (ΔS_{vap}), 405–406, 411
- Entropy change in the surroundings (ΔS_{surr}), 654–655
- Entropy (S), 287–289, 290, 669–670
absolute, 651
of fusion, 412
probability and, 644, 647–649
second law of thermodynamics and, 653–655
of solutions, 392
spontaneous processes and, 643–647
standard molar, 651–652
temperature and, 650–651
of vaporization, 358
for pure solvent, 405–406, 411
- Enzyme catalysis, 477–478
- Enzymes, 429, 471, 628
- Epoxy, 887
- Equatorial positions, 160
- Equilibrium constant expression, 494
- Equilibrium constants
 K_c , 493–497, 494, 499–500, 522–523
using, 502–510
 K_p , 498–500
standard cell potentials and, 700–702
standard free-energy change and, 667
- Equilibrium equations, 494–496
for heterogeneous equilibria, 500–501
- Equilibrium mixtures, 491. See also Mixtures
concentration changes in, 512–515
factors altering composition of, 510–512
- Le Châtelier's principle and, 510–512, 513–520
pressure and volume changes in, 515–517
temperature changes in, 518–520
- Equilibrium state, 492–493
- Equivalence point, 601–605, 608, 610–611
- Esters, 913, 923, 924, 925–926
- Estradiol, 426, 918
- Ethanal (acetaldehyde), 913, 924
- Ethanamide (acetamide), 913
- Ethane, 138, 147, 164, 532, 772, 900, 902, 907, 913, 914
1,2-Ethanediol, 931. See Ethylene glycol
- Ethanoic acid. See Acetic acid
- Ethanol, 433
as alternative fuel, 287, 294
heat of fusion for, 358
heat of vaporization for, 358
production of, 917, 921
standard free energies of formation for
standard heat of formation for, 281
structure of, 300, 528, 675
surface tension of, 354
thermochemical properties of, 285
viscosity of, 354
- Ethene. See Ethylene
- Ethers, 360, 913, 922
- Ethyl acetate, 300, 425, 485, 519, 925, 926
- Ethyl alcohol, 19, 29, 136, 199, 285, 336, 390, 411, 903
- Ethylamine, 582
- Ethylammonium nitrate, 379
- Ethyl chloride, 193, 298
- Ethylene chloride, 220
- Ethylenediamine, 825, 826
- Ethylenediaminetetraacetate ion, 825, 826
- Ethylene dichloride, 766
- Ethylene (ethene), 675, 766, 912, 914, 929
bonding in, 900, 901
catalytic hydrogenation of, 474–475
ethyl chloride and, 193, 194–195
hybridization in, 168
shape of, 164
standard free energies of formation for, 661–662
standard heat of formation for, 281
standard molar entropy for, 652
structure of, 532
- Ethylene glycol, 181, 199–200, 398, 424, 528, 921, 931
- Ethylene oxide, 528, 676
- Ethyl group, 907
- Ethyne (acetylene). See Acetylene
- Eutrophication, 792
- Evaporation, 356, 358–362
- Excess reactant, 200
- Excited-state configuration, 166

- Exothermic, **273**
Exothermic reaction, **273**, 518
 solutions and, 393
Expansion work, 267–269
Experimentation, 3–4
 measurement and, 12–13
Extended three-dimensional array, 746
Extensive property, **9**
 heat capacity and, 275
 standard reduction potentials and, 693
- F**
- Face-centered cubic unit cell, **369**, 372–373
Fahrenheit ($^{\circ}\text{F}$) scale, 15
 conversion to and from Celsius, 16
Faraday, Michael, 688, 716
Faraday/Faraday constant (F), **688**
 f -block elements, **87**, 810
Feldspars, 780
Femto-, 13
Fermentation, 282
Ferric chloride, 119
Ferrous chloride, 119
Fibers, composites and, 887–888
Fireworks, 67
First law of thermodynamics, **264**, 265, **653**
First-order reactions, **441**–444, 451
 half-life of, 444–446
 integrated rate law for, 441–444
Fischer-Tropsch process, 474
Flame tests, 627
Floating-bulb thermometer, 2
Flotation, **863**–864
Fluids, supercritical, 777
Fluorapatite, 618, 788
Fluorides, xenon, 127
Fluorine, 7, 10, 144, 309
 as diatomic molecule, 100, 174, 175
 electron configuration of, 85
 electronegativity of, 141
 properties of, 126
 reactions of, 126–127
 reaction with water, 754
 symbol, 4
Fluorine-doped lanthanum oxide iron arsenide, 883
Fluorine-doped praseodymium compound, 883
Fluorine molecule, 100, 174, 175
Fluoxetine (Prozac), 218
 f orbitals, 78–79
Force, **306**
 units of, 17
Formal charges, **155**–157
Formaldehyde (methanal), 152, 158–159, 923, 924
Formalin, 923
- Formation constant (K_f), **619**
Formic acid, 435, 552, 634
Formula mass, **193**
Formula unit, **190**
Forward bias, 877
Fossil fuels, 285–287, 330
Fractional distillation, **417**–419
Fractional distillation column, 419
Francium, 5, 10, 54, 123
Franklin, Benjamin, 215–216
Free-energy change, 653
 cell potentials and, 688, 710
 dissolution of solute in solvent, 391
 Gibbs, **290**
 phase changes and, 355–356
 of reaction mixture, 663–665
 solution process and, 390–394
 standard, **658**–661
Free energy (G), 290–293, **656**–658
 chemical equilibrium and, 665–668
 as extensive property, 693
 standard free energy of formation, **661**–663
 standard reduction potentials and, 693–694
Freezing, 355
Freezing point, 403, 412
Freezing-point depression, 409–413
Frequency factor, **467**
Frequency (v), 64, **65**
 calculating energy of photon from, 71
 calculating from wavelength, 65–66
 α -D-fructofuranosyl- α -D-glucopyranoside, 117
 f subshell, 74
Fuel-cell car, 757
Fuel cells, 680, **706**–707, 757
 hydrogen, 706–707
Fuel efficiency, 285–287
Fuels
 biodiesel, 294–295
 biofuels, 294–295
 fossil, 285–287
Fullerene, 374, 375, 775, 882–883
Functional groups, **912**–914
Fusion (melting), 355
- G**
- Galena, 783, 794
Galileo, 2
Gallium, 7, 770, 771
Galvani, Luigi, 681
Galvanic cells (voltaic cells), **681**–686, 690–692
 batteries, 702–706
 designing, 685
 shorthand notation for, 686–688
 standard reduction potentials, 689–693
Galvanizing, **709**
Gamma (γ) radiation, 51, **52**, 53, 64

- Gangue, **863**
Gas chromatograph, 211
Gas constant (*R*), **314**–315
Gas(es), 305–309, 343
 anesthetics, 332–333
 behavior of real, 327–328
 critical point and, 377
 Dalton's law of partial pressures, **320**–322, 323
 diffusion of, 325–327
 Earth's atmosphere, 328–331
 effusion of, 325–327
 entropy and, 288
 Graham's law, **325**–327
 ideal, **310**
 kinetic-molecular theory of, 322–325
 molecular view of, 306
 partial pressure and, 320–322
 phase changes and, 355–358
 phase diagrams, 376–378
 pressure and solubility of, 401
 relation of volume with amount, 312–314
 relation of volume with pressure, 310–311
 relation of volume with temperature, 311–312
 solubility of, 400–401
 standard free energies of formation, 661
 standard molar entropies of, 652
 stoichiometric relationships with, 317–320
 synthesis of, 734
Gas laws, **310**–314
 Avogadro's law, **312**–314, 315, 323
 Boyle's law, **310**–311, 315, 322, 323
 Charles's law, **311**–312, 315, 322, 323
 ideal gas law, **314**–317
Gasoline, 911
 synthetic, 474
Gas-phase reactions
 change in entropy and, 646
 writing equilibrium equations for, 495
Gas pressure, **306**–309
Gel, 884
Geometric isomers, 832
Germanium, 7, 12, 774, 782–783, 873, 874
Giant's Causeway (Ireland), 62
Gibbs, J. Willard, 656
Gibbs free-energy change (ΔG), **290**
Giga-, 13
Glass, 376
Glass electrode, 699
Global warming, 329–330
Glucose, 137, 210–211, 252, 281, 286, 294, 924
Glycerin, 254
Glycerol, 354, 921
Glycinate ion, 825
Glycine, 184, 599
Gold, 4, 6, 9, 11, 18, 36, 45, 55, 244, 774, 778, 862, 863, 865
Gold-197, 53
Graduated cylinder, 18
Graham, Thomas, 325
Graham's law, **325**–327
Grain alcohol, 921
Gram (g), **14**
 conversion to moles, 195
Graphite, 285, 374, 375, 661, 774–775
Gravity
 origin of elements and, 57
 weight and, 14
Gray tin, 783
Green chemistry, 253–254
Greenhouse effect, 329
Ground-state electron configuration, **83**–86
 assigning to atom, 88
 identifying atom from, 88–89
Group (periodic table), **7**, 8
Group I cations, 626
Group 1A cations, 119, 230
Group II cations, 626
Group 2A cations, 119
Group III cations, 626
Group IV cations, 627
Group V cations, 627
Group 1A elements (alkali metals), 7, 10, 122–125
 hydroxides, 549
 ion formation, 103
 ionic radii of, 104–105
 ionization energy of, 106, 122
 molecular configurations of ions, 103
 noble gas electron configuration of, 112
 properties of, 122–123
 reactions of, 123–125
 in redox reactions, 241
 as reducing agents, 244
 valence-shell configurations, 87
 water and, 123–124
Group 2A elements (alkaline earth metals), 7, 10
 cations, 119
 electron affinities of, 110–111
 hydroxides, 549
 ion formation, 103
 ionic radii of, 104–105
 ionization energy of, 107
 molecular configurations of ions, 103
 noble gas electron configuration of, 112
 properties of, 125
 reactions of, 125–126
 in redox reactions, 241
 as reducing agents, 244
 valence-shell configurations, 87
Group 3A elements, 770–773
 aluminum, 773
 boron, 771–772
 covalent bonds and, 144

- noble gas electron configuration, 112
properties of, 770–771
- Group 4A elements, 773–783
band gaps for, 874
carbon, 774–778
covalent binary hydrides of, 352
covalent bonds and, 145
germanium, 782–783
lead, 783
properties of, 773–774
silicon, 778–782
tin, 782–783
- Group 5A elements, 783–793
boiling points of covalent binary hydrides, 352
covalent binary hydrides of, 352
covalent bonds and, 145
nitrogen, 784–788
phosphorus, 788–793
properties of, 783
- Group 6A elements, 793–798
boiling points of covalent binary hydrides, 352
covalent binary hydrides of, 352
covalent bonds and, 145
ion formation, 103
ionization energy of, 107
molecular configurations of ions, 103
properties of, 793
sulfur, 794–798
- Group 7A elements (halogens), 7, 10, 798–799
alkali metals reacting with, 123
aluminum reactions with, 773
boiling points of, 352
covalent binary hydrides of, 352
covalent bonds and, 145
electron affinities of, 110–111
ion formation, 102–103
ionic radii of, 105
London dispersion forces and, 350
melting points of, 350
molecular configurations of ions, 103
noble gas electron configuration of, 112
oxidation numbers of, 238–239
as oxidizing agents, 241
oxoacids of, 798
properties of, 126
reactions of, 123, 125, 126–127
- Group 8A elements (noble gases), 7, 11
covalent bonds and, 145
electron affinities of, 110–111
electron configuration of, 112
ionization energy of, 106
octet rule and, 112
properties of, 127
reactions of, 127
- g* subshell, 74
- Guldberg, Cato Maximilian, 494
- Gypsum, 794
- H
- Haber, Fritz, 521
Haber process, 653
free-energy change and, 658–659
Hess's law and, 278
hydrogen and, 735
Le Châtelier's principle and, 510–511, 512, 515–516, 518–519, 520–521
nitrogen and, 784, 785
spontaneous processes and, 642
- H–A bond, 570–571
- Half-cells, 683
- Half-life, 444–446
decay constant and, 447–449
- Half-reaction method, 245–249
- Half-reactions, 245
in galvanic cells, 682–683
- Halic acid, 798
- Halides, 123, 230, 379, 574
aluminum, 773
boron. See Boron
phosphorus. See Phosphorus
pseudo-, 777
- Halide salts, 125
- Halite, 128
- Hall, Charles Martin, 714
- Hall-Heroult process, 714–715
- Halogenation, 917, 919
- Halogens. See Group 7A elements (halogens)
- Halothane, 332, 333
- Halous acid, 798
- Handedness, 178–179, 837–840
- Hard water, 754
- Heat, 264
- Heat capacity (C), 275–280, 651
molar, 276
specific, 276
- Heating curve, 356–357
- Heat of combustion, 285–287
- Heat of fusion (ΔH_{fusion}), 272, 357–358
- Heat of reaction, 270, 273
- Heat of solution, 392
- Heat of sublimation, 273
- Heat of vaporization, 272, 357–358
Clausius-Clapeyron equation and, 360–362
- Hecto-, 13
- Heisenberg, Werner, 73
- Heisenberg uncertainty principle, 73
- Helium, 11, 18, 48, 309
aufbau principle and, 84
average speed of, 323–325
electron configuration of, 84
heat of fusion for, 358
heat of vaporization for, 358

properties of, 127
symbol, 4

Helium atoms, 45–46

Hematite, 820, 862

Heme, 524, 826–827

Hemodialysis, 420

Hemoglobin, 524–525, 810, 820, 826–827
carboxy-, 776
oxy-, 776

Henderson-Hasselbach equation, 598–601, **599**

Henry's law, **401**–402

Heroult, Paul, 714

Hertz (Hz), **65**

Hess's law, **278**–280, 282

Heterogeneous catalyst, **474**–476

Heterogeneous equilibria, **500**–502

Heterogeneous mixtures, 389

Hexacyanoferrate(III) anion, 829

Hexadentate ligands, **826**

Hexafluorophosphate, 379

Hexagonal closest-packed arrangement, **367**, 368, 370

1,6-Hexanediamine, 930

Hexanedioic acid, 930

High-spin complex, **844**

Hindenburg, 736

Histidine, 148–149

Homogeneous catalyst, **474**–476

Homogeneous equilibria, **500**

Homogeneous mixtures, 389
gases and, 305–306

Hot packs, 393

Household bleach, 196–197

Human body
blood pH, 586, 587, 595
breathing and oxygen transport in, 524–525
carbon in, 773
density of fat in, 18
density of muscle in, 18
iron in, 820
most abundant elements in, 765
phosphorus in, 788
relative abundance of elements in, 5
superoxide ion in, 749
water in, 225, 753

Human genome, 3

Hund's rule, **84**, 85, 810

Hybrid atomic orbitals, **166**
atoms with five and six charge clouds, 170–171
for coordination geometries, 842–843
geometry of, 170
metal complexes and, 842–844
in organic molecules, 901
sp, **169**–170
*sp*², **168**–169
*sp*³, **166**–168

Hybridization, 166–168

Hydrated, 391

Hydrated ions, 645

Hydrated protons, 543

Hydrated salts, 755

Hydrates, **755**–756

Hydration, **917**

Hydrazine, 146, 147, 278, 562, 738, 785, 786

Hydrides
binary, **736**–741, 740
binary metallic, 767
binary nonmetallic, 767
boron, **772**
covalent, **737**–738
interstitial, **738**
ionic, **737**, 739
metallic, **738**

hydro-, 234

Hydrobromic acid, 234, 541

Hydrocarbons, **901**

Hydrochloric acid, 203, 232, 233, 234, 541
acid-dissociation constants, 552
in gastric juice, 537
in reactions, 226, 229, 587–588, 589
in titrations, 602–603, 607–608
uses, 127

Hydrocyanic acid, 552

Hydrofluoric acid, 234, 541, 552, 553, 571, 754

Hydrogen, 8, 9, 10, 731–732
in activity series, 244
addition to alkenes, 916–917
atomic line spectra, 80–81
binary hydrides and, **736**–741
combustion of, 38
electron configuration of, 84
as fuel, 285–287
in human body, 5
isotopes, 46, 55, 732–733
line spectrum of, 67
mass in universe, 5
orbital energy levels of, 75
oxidation number of, 238
preparation and uses of, 734–735
reaction with iodine, 502–503
reaction with nitric oxide, 460–461
reactivity of, 735–736
symbol, 4, 5
thermochemical properties of, 285

Hydrogenation, **917**
catalytic, 474–475

Hydrogen atom, 45
Bohr model of, 70–71

Hydrogen bonds, 347, **351**–353, 353
in alcohols, 920
hydrogen peroxide and, 750
second-row elements and, 768

- Hydrogen carbonate, 121, 777
Hydrogen chloride, 100, 139, 140, 193, 226, 233, 234, 281
Hydrogen-containing compounds, electron-dot structures of, 147–149
Hydrogen cyanide, 148, 235, 777–778
Hydrogen economy, 757
Hydrogen fluoride, 127, 142, 145
Hydrogen fuel cell, 706–707
Hydrogen halides, 126–127, 738
Hydrogen molecule, 100, 135–136, 144 molecular orbital theory and, 172–174
Hydrogen-oxygen fuel cell, 706–707
Hydrogen peroxide, 146, 252, 440, 471–472, 738, 749–751
Hydrogen phosphate, 634
Hydrogen sulfate, 121
Hydrogen sulfide, 796
Hydrohalic acid, 553
Hydroiodic acid, 541
Hydrolysis, 926 ceramics and, 884
Hydronium ion, 232–233, **538**, 543 addition to buffer solutions, 597 pH and, 546–547
Hydroquinone, 726
Hydroxide ion, 101, 539, 825
Hydroxides, 120, 121, 233 addition to buffer solutions, 595–596 amphoteric, 622–623, 745 basic, 623
Hydroxyapatite, 618, 788
Hydroxylamine, 562, 785
Hydroxypatite, 612
Hygroscopic, **755**
hypo-, 121
Hypochlorite, 120, 121
Hypochlorous acid, 552, 571, 755
Hypochorous acid, 234
Hypohalous acid, 798
Hyponatremia, 29
Hypothesis, 4, 6
Hypoxia, 525
- I
-ic, 119
-ic acid, 234
Ice, 362 density of, 18 enthalpy and melting/freezing, 272 melting of, 288, 290, 657 molar heat capacity of, 356 phase changes of, 356–357
-ide, 118, 120, 142
Ideal gas, **310** energy of, **649**
- Ideal gas law, **314**–**317** applications of, 317–318
Ilmenite, 851
Indium, 770, 771
Infrared region, 64
Initial rate, **433**
Initial rates method, 436–440 for catalyzed reaction, 473
Initiator, 929–930
Inner transition elements, 810
Inner transition metal groups, 8, **9**
Inorganic chemistry, 899
Inorganic compounds, 775
Instantaneous rate, **433**
Insulators, 870–871
Integrated rate law, **441**–**444** for radioactive decay, 447 second-order reactions and, 449–450
Intensive property, **9**
Interference, 365
Intermolecular forces, **347**–**353** comparison of, 353 diatomic hydrogen and, 731 dipole-dipole forces, **348**–**349**, 353 hydrogen bonds, **351**–**353** identifying, 353 ion-dipole forces, **348**, 353 of liquids, 354, 391 London dispersion forces, **349**–**350**, 353 of solids, 364 surface tension and, 354 van der Waals equation and, 328 viscosity and, 353–354
Intermolecular solids, crystalline solids and, 362–363, 364
Internal energy (*E*), **265**–**267**
International System of Units (SI), 12
International Union of Pure and Applied Chemistry (IUPAC), 906
Interstitial hydrides, **738**
Iodic acid, 798
Iodide ion, 440
Iodine, 6, 10, 11, 126, 127, 238, 799 as diatomic molecule, 100 reaction with hydrogen, 502–503 symbol, 4
Iodine molecule, 100
Ion-dipole forces, 347, **348**, 353
Ion exchange, **754**
Ionic bonds, 99, **101**–**102** formation of ionic solids and, 113–115 intermolecular forces and, 348
Ionic compounds binary, 118–120 covalent compounds vs., 139 naming, 117–122

- with polyatomic ions, 120–122
precipitation of, 623–625
solubility product of, 614
- Ionic equation, **229**
for neutralization reaction, 235–236
- Ionic hydrides, **737**, 739
- Ionic liquids, 379–380
- Ionic oxides, 743
- Ionic radius, **104**–105
of group 1A elements, 123
of group 2A elements, 125
of group 3A elements, 771
of group 7A elements, 126
- Ionic solids, **101**, **362**, 364
formation of, 113–115
lattice energies in, 115–117
structures of, 372–373
- Ionization energy (E_i), 96, 97, **106**–109
electronegativity and, 141
of group 1A elements, 123
of group 2A elements, 125
of group 3A elements, 771
of group 4A elements, 774
of group 5A elements, 783
of group 6A elements, 793
of group 8A elements, 127
higher, 108–109
redox reactions and, 244
of transition elements, 815–816
- Ionization isomers, **831**
- Ion-product constant for water (K_w), **544**–545
- Ion product (IP), **624**
- Ions, 99, **101**
calculating concentration of in solution, 228
complex, **619**
solubility and formation of, 618–622
molecular configurations of, 102–104
polyatomic, **101**
separation of, by selective precipitation, 625
spectator, **229**
- IP. See Ion product
- Iron, 6, 9, 57, 367, 812, 820–821
cast, 866
cations, 118, 119
galvanizing and, 709
in hemoglobin, 810
metallurgy of, 866–867
pig, 866
reaction with copper, 242
rusting of, 237, 240, 430
standard molar entropy of, 652
symbol, 4
uses of, 4, 861
- Iron carbide, 777
- Iron(II) chloride, 119
- Iron(III) chloride hexahydrate, 119
- Iron(III) oxide, 273, 281
- Iron(III) solution, 513–514
- Iron(III) sulfate, 821
- Iron(II) sulfate, 29
- Isobutane, 902, 903, 908
- Isobutyl, 908
- Isobutylene, 533
- Isoelectric point, 610
- Isoflurane, 332, 333
- Isomers, **831**–837
alkane, 903
alkene, 914–915
cis, **833**, 836
cis-trans, **915**
constitutional, **831**
diastereoisomers, 831, **832**–835
enantiomers, 831
geometric, 832
ionization, **831**
linkage, **831**
optical, 839
stereoisomers, 831, **832**–833
trans, **833**, 836
- Isooctane, 301, 935
- Isopentyl acetate, 220
- Isopropyl, 908
- Isopropyl alcohol, 300, 921
- 1-Isopropyl-3-methylcyclopentane, 911
- 3-Isopropyl-2-methylhexane, 909
- Isotope effects, **733**
- Isotopes, **46**–48, 50
band of nuclear stability and, 54–55
hydrogen, 732–733
- Isotopic mass, 46
- ite, 120, 234
- IUPAC. See International Union of Pure and Applied Chemistry
- J
- Joule, James Prescott, 20
- Joule (J), **20**, 651, 688
- K
- Kelvin (K), **12**, **15**
- Kerosene, 911
- Ketones, 913, **923**–924
- Kilo-*, 13
- Kilogram (kg), **12**, **13**–14
- Kilojoules (kJ), 20
- Kinetic energy (E_K), **20**, **263**–264, 649
- Kinetic-isotope effect, 733
- Kinetic-molecular theory, **322**–325, 343
evaporation and vapor pressure and, 358–359
gas collision rates and, 465
- Knots, 35
- Kroto, Harold, 775

Krypton, 11, 127

L

Laboratory equipment, for measuring liquid volume, 18

Lactic acid, 497, 582, 914

Lake Chelan, 276

Lanthanide contraction, **814**

Lanthanides, 8, 9, 810

Lanthanum, 8

Laser, diode, 878

Lattice energy (*U*), **115–117**

 ionic oxides and, 746

 solubility and, 139, 230

 solute-solute interactions and, 393

Lavoisier, Antoine, 38, 232, 731

Lawrencium, 810

Laws

 conservation of energy, **263**

 Dalton's law of partial pressures, **320–322**, 323,
 408

 definite proportions, **39**, 40

 gas, **310–314**

 Avogadro's law, **312–314**, 315, 323

 Boyle's law, **310–311**, 315, 322, 323

 Charles's law, **311–312**, 315, 322, 323

 ideal gas law, **314–317**

 Graham's law, **325–327**

 Hess's law, **278–280**, 282

 mass action, 494

 mass conservation, **38–39**, 40, 189

 multiple proportions, **39–41**

 Raoult's, **404–405**, 408–409, 417

 thermodynamics

 first law of, **653**

 second law of, **653–655**

 third law of, **650**

LD₅₀ value, **29**

Lead, 4, 5, 6, 783

Lead(II) chloride, 614

Lead(II) chromate, 614

Lead(II) nitrate, 225, 228–229

Lead iodide, 225

Lead ions, 119

Lead storage battery, 703–704

Le Châtelier's principle, **511–512**, 524

 boiler scale formation and, 754

 common-ion effect and, 592

 concentration changes and, 512–515

 formation of complex ions and, 619

 pH of solution and solubility and, 618

 pressure and volume changes and, 515–517

 temperature changes and, 518–520

Leclanché, George, 704

Leclanché cell, 704

LEDs. See Light-emitting diodes

Length, 12

 measuring, 14–15

Levitation of magnet, 880–882

levo-, 178

Levomethorphan, 178

Lewis, G. N., 144, 573

Lewis acid-base adduct, 772

Lewis acids, **573–575**

Lewis bases, **573–575**, 618

Lewis structures, 144–147

Ligand donor atoms, **823–824**

Ligands, **823**, 825–827

 bidentate, 825, **826**

 common, 828

 hexadentate, **826**

 monodentate, 825, **826**

 polydentate, 825, **826**

 strong-field, **848**

 weak-field, **848**

Light, 64–66

 quantization of, 70

 speed of, 65

Lightbulb

 compact fluorescent, 92

 incandescent, 21, 865

Light-emitting diodes (LEDs), 860, 876, 877–878

Like dissolves like, 390

Lime, 549, 766, 866

Limestone, 500

Limewater, 549

Limiting reactant, **200**

Linear metal complex, 824, 843

Linear molecular shape, 158, 161, 163, 170

Line spectrum, **67**

 compact fluorescent lights and, 92

 quantum mechanics and, 80–81

Linkage isomers, **831**

Liquid mixtures, fractional distillation of, 417–419

Liquids, 305, 306, 343

 boiling points, 361–362

 concentration of pure, 612

 critical point and, 377

 entropy and, 288

 evaporation of, 356, 358–359

 ionic, 379–380

 phase changes, **355–358**

 phase diagrams, 376–378

 properties of, 353–354

 standard free energies of formation for, 661

 standard molar entropies of, 652

 vapor pressure, **358–359**

Liter (L), **17**

Lithium, 6, 7, 10, 241

 aufbau principle and, 84

 electron configuration of, 84

 production of, 865

- properties of, 123
reaction with water, 124
symbol, 4
- Lithium batteries, 705–706
Lithium carbonate, 379
Lithium fluoride, 118
Lithium hydroxide, 201
Lithium-ion batteries, 705–706
Lithium oxide, 201
Litmus, 537
Lock-and-key model, 477
London dispersion forces, 347, 349–**350**, 353, 391, 775
Lone pairs, **144**
Long-chain methyl esters, 295
Lowry, Thomas, 539
Low-spin complex, **844**
Luminous intensity, 12
Lye (sodium hydroxide), 208, 226, 234, 549, 602–605, 610–611, 681, 713–714
- M**
- MAC (minimum alveolar concentration), 333
Magnesium, 7, 11, 367, 464
combustion of, 237, 744
electron configuration of, 85
formation of, 57
as insulator, 870–871
ionization energy of, 107, 108–109
production of, 865
properties of, 10, 125
in redox reaction, 241
symbol, 4
- Magnesium carbonate, 281
Magnesium chloride, 101
formation of, 115
- Magnesium hydroxide, 537
Magnesium oxide, 379
Magnesium perchlorate hexahydrate, 755
Magnetic quantum number (m_l), **74**–75
Magnetic resonance imaging (MRI), 861, 882, 890
Magnetite, 387, 820
Magnets, superconductors and, 880–882
Main-group elements, 764–807
covalent bonds and, 144
general properties of, 765–768
group 3A elements. See Group 3A elements
group 4A elements. See Group 4A elements
group 5A elements. See Group 5A elements
group 6A elements. See Group 6A elements
group 7A elements. See Group 7A elements
hydrides of, 737
octet rule and, 112, 150
oxides of, 745
periodic trends, 766–768
second-row elements, properties of, 768–770
- valence-shell configurations of, 87
Main-group ions, noble gas electron configurations, 103
- Main groups (periodic table), 8, **9**
Manganese, 4, 816, 817, 867
Manganese dioxide, 470
Manganese silicate, 867
Manometer, **308**, 309, 358
Marble, 329, 577, 618
Mass, 12, **13**, **14**
atomic, 6, **48**–49, 193
conservation of, 37–39, 40, 189
converting to numbers of moles and atoms, 49
effusion and, 325
of electron, 42
formula, **193**
isotopic, 46
measuring, 13–14
molar, **48**, 194, 318, 319
weight vs., 14
- Mass number (A), **45**
- Mass percent, 61
- Mass percent (Mass %), **395**–396, 397
- Mass ratio, 193
- Mass spectrometry, 213–214
- Matter, 3, **13**, **37**
atomic theory of, 40
quantization of, 70
wavelike properties of, 71–72
- Mean free path, 325
- Measurement, 12–13
accuracy, precision, and significant figures in, 21–23
calculations, 25–28
of density, 18–20
of energy, 20–21
of length, 14–15
of mass, 13–14
rounding numbers, **23**–25
of temperature, 15–16
of volume, 16–18
- Mechanism, 429
- Mega-, 13
- Meissner effect, 881–882
- Melting, 272, 355, 657
- Melting points
band theory and, 871
of ceramics, 883
of group 1A elements, 123
of group 2A elements, 125
of group 3A elements, 771
of group 4A elements, 774
of group 5A elements, 783
of group 7A elements, 126
of group 8A elements, 127
of hydrides, 737

- normal, **377**
of oxides, 746
pressure and, 378
of solution, 403
of transition elements, 813
of water, 377
- Mendeleev, Dmitri, 6–7
- Meniscus, 354
- Menthol, 213
- Mercury, 4, 6, 11, 48
in compact fluorescent lights, 92
heat of fusion of, 358
heat of vaporization for, 358
production of, 865
at superconducting transition temperature, 880
surface tension of, 354
symbol, 4
vapor pressure of, 668
viscosity of, 354
- Mercury-197, 53
- Mercury(I) chloride, 699
- Mercury iodide, 38
- Mercury lamp, 66
- Mercury nitrate, 38
- Mercury oxide, 38
- Mesosphere, 329
- meta-*, 919
- Metal cations, qualitative analysis of, 626–627
- Metal complexes. See Coordination compounds
(metal complexes)
- Metal ethoxides, 885
- Metal halides, 126
- Metallate anions, 829
- Metallic conductors, 870
- Metallic hydrides, **738**
- Metallic properties, of transition elements, 813
- Metallic solids, **364**
- Metalloids, 8
- Metallurgy, 252, **863**–866
- Metals, 8, 11
bonding in, 868–872
calculating density of, 371
crystallization of, 367
electron-sea model of, **868**–869
metallurgy, **863**–866
molecular orbital theory for, 869–872
noble, 476
ores, **862**–864
oxidation numbers, 238
properties of, 767
as reducing agents, 241
reduction of, 864–865
sources of, 861–863
- Metal sulfides, 625
- Metaperiodic acid, 798, 799
- Meter (m), 12, **14**
- Methanal, 152, 158–159, 923, 924
- Methane, 738, 907
bonding in, 167, 168, 899, 902
combustion of, 211, 251, 266, 911
shape of, 100, 158, 159, 160
standard heat of formation for, 281
standard molar entropy of, 652
structure of, 145
thermochemical properties of, 285
- Methanol, 913, 920–921, 924
as alternative fuel, 287
conversion to, 458–459
dipole moment of, 346
hydrogen and synthesis of, 667
structure of, 383, 530
thermochemical properties of, 285
- Methanol acid, 552
- Methene, 912
- Methionine, 137
- Methionine cation, 611
- N*-Methylacetamide, 927
- Methylamine, 347, 562–563, 590, 634, 913, 922, 927
- Methylammonium cation, 634
- Methylbenzene (toluene), 919
- 2-Methylbutane, 902, 904–905
- Methylcyclohexane, 910
- Methylene chloride, 280, 911
- Methyl ethanoate (methyl acetate), 913
- Methyl group, 907
- 2-Methyl-3-hexene, 915
- 5-Methyl-2-hexene, 915
- Methyl isonitrile, 483
- Methyl lithium, 181, 900
- Methyl orange, 592
- 2-Methylpropane (isobutane), 902, 903
- 2-Methyl-2-propanol, 920
- 2-Methylpropene, 299
- Methyl red, 589, 597, 606, 607
- Methyl *tert*-butyl ether (MTBE), 197–198, 299, 341, 496
- Mica, 780, 781
- Micro-*, 13
- Microgram (μg), **14**
- Micrometer (μm), **15**
- Microwaves, 64
- Miles
nautical, 35
statute, 35
- Milk of magnesia, 549
- Milky Way galaxy, 57
- Milli-*, 13
- Milligram (mg), **14**
- Millikan, R. A., 42–43
- Milliliter (mL), **17**
- Millimeter (mm), **15**

- Millimeter of mercury (mm Hg), **307**
Minerals, **861**
Minimum alveolar concentration (MAC), **333**
Miscible, **400**
Mixtures, **389**
 equilibrium, **491**
 fractional distillation of liquid, **417–419**
 heterogeneous, **389**
 homogeneous, **389**
 racemic, **839**
Molal boiling-point-elevation constant, **410–411**
Molal freezing-point-depression constant, **410–411**
Molality (*m*), **397–399**
 calculating, **397, 412**
 converting to molarity, **398**
Molar heat capacity (C_m), **276**, **356**
Molarity (M), **202–204**, **394–395**, **397**
 calculating, **203, 395**
 as conversion factor, **203**
 converting mass percent concentration to, **396**
 converting molality to, **398**
 converting to other concentration measures, **398–399**
 stoichiometry and, **205–206**
 titration and, **206–208**
 using osmotic pressure to calculate, **415**
Molar mass, **48**, **194**
 ideal gas law and, **318, 319**
Molecular compounds, naming, **142–143**
Molecular configurations of ions, **102–104**
Molecular dipoles, **344**
Molecular equation, **229**
Molecular formula, **209**, **212–213**
Molecular handedness, **837–840**
Molecular ion, **214**
Molecularity, **455**, **456**
Molecular mass (molecular weight), **61**, **193–194**, **212**
 calculating
 using mass spectrometry, **213–214**
 using molecular formula
 using osmotic pressure, **416–417**
 dipole moments, boiling points, and, **349**
 ideal gas law and, **318, 319**
Molecular orbital (MO) theory, **154**, **172**, **748**
 hydrogen molecule, **172–174**
 for metals, **869–872**
 other diatomic molecules, **174–176**
 peroxides and, **748**
 semiconductors and, **873–874**
 valence bond theory and, **177**
Molecular orbitals, **172**
 antibonding, **173**, **176**
 bonding, **173**, **176**
Molecular shape
 bent, **158**, **159**, **163**
 effect on London dispersion forces, **350**
 handedness and, **178–179**
 hybridization and, **166–171**
 of larger molecules, **164**
 linear, **158**, **161**, **163**, **170**
 octahedral, **163**
 of organic molecules, **900–901**
 seesaw, **161**, **163**
 square planar, **162**, **163**
 square pyramidal, **162**, **163**
 tetrahedral, **159**, **163**, **170**
 trigonal bipyramidal, **160–161**, **163**
 trigonal planar, **158**, **159**, **163**, **170**
 trigonal pyramidal, **159**, **163**
 T-shaped, **161**, **163**
 VSEPR model, **157–165**
Molecular solids, **362–363**, **364**
Molecules, **100–101**, **135**
 average speed of, **323–325**
 chemical symbols and, **192–193**
 covalent bonds and, **135–138**
 diatomic, **100**
 organic, **899–901**, **904–905**, **912–914**
Mole fraction (*X*), **321**, **395**, **397**
Mole (mol), **12**, **48**
 calculating number of moles of solute in solution, **203**
 conversion to grams, **195**
 converting mass to, **49**
Mond process, **865**
mono-, **143**
Monoclinic sulfur, **795**
Monodentate ligands, **825**, **826**
Monomers, **534**, **929**
 vinyl, **929**
Monoprotic acid, **233**
Morphine, **117**, **922**
Morton, William, **332**
MO theory. See Molecular orbital (MO) theory
MRI. See Magnetic resonance imaging
MTBE, **197–198**, **299**, **341**, **496**
Müller, K. Alex, **879**, **880**
Muriatic acid, **127**, **232**
Mylar, **925**, **931**
- N
- Nalorphine, **424**
Nano-, **13**
Nanometer (nm), **15**
Nanoparticles, **861**, **889**
Nanotechnology, **889–890**
Nanotubes, **374**, **375**
Naphthalene, **211–212**, **214**, **529**, **675**
Natural products, **932**
Nautical miles, **35**
Neon, **11**, **67**, **84–85**, **127**

- Nernst, Walther, 696
Nernst equation, 695–700, **696**
Net ionic equation, **229**
for neutralization reaction, 235–236
Neutralization reactions, 587–590
strong acid-strong base, 587–588
strong acid-weak base, 589
weak acid-strong base, 588
weak acid-weak base, 589–590
Neutral salt, 566
Neutral solutions, salts that yield, 566
Neutrinos, 57
Neutron/proton ratio, effect on nuclear stability, 54–56
Neutrons, **44**, 57
Newton (N), **307**
Nickel, 810, 812, 865
Nickel-cadmium batteries, 705
Nickel(II) nitrate, 840
Nickel-metal hydride (NiMH) batteries, 705
Nickel tetracarbonyl, 865
Nicotine, 584
Nitrate, 230
Nitrate ion, 101, 120, 154
Nitration, **919**
Nitric acid, 541, 590, 785, 787–788, 821
acid raid, 576
oxoanion, 234
structure of, 571
Nitric oxide, 39–40, 460–461, 474, 785
air pollution and, 329, 523, 576
standard heat of formation for, 281
uses of, 786–787
Nitrite ion, 120
Nitrito complex, 831, 832
Nitrobenzene, 919
Nitro complex, 831, 832
Nitrogen, 9, 784–788, 865
compounds of, 785–788
as diatomic molecules, 100, 174, 175, 766
in dry air, 305, 306
ionization energy of, 107
oxidation states of, 785
oxides of, 786–787
properties of, 783
standard free energy of formation for, 661
standard molar entropy for, 652
symbol, 4
Nitrogenase, 221, 471
Nitrogen dioxide, 39–40, 430, 431–433, 454–455, 459–460, 492, 503, 661–662, 785, 786, 787
Nitrogen molecule, 100, 174, 175, 766
Nitrogen oxides, 576
Nitroglycerin, 339
Nitrous acid, 234, 539, 541, 552, 785, 787
Nitrous oxide, 155, 333, 785, 786
Noble gas electron configurations, 103
Noble gases. See Group 8A elements
Noble metals, 476
Node (orbital), **77**, 78
Nonbonding pairs, 144
Nonelectrolytes, **226**, 228
Nonmetal oxides, 574–575
Nonmetals, 8, 11
oxidation numbers, 238
as oxidizing agents, 241
properties of, 767
Nonoxide ceramics, 882
Nonspontaneous process, 287, 288, 291
Nonstoichiometric compounds, **738**
Nonvisible region of electromagnetic spectrum, 67
Normal boiling point, **361**
Normal melting point, **377**
Novocaine, 938
n-p-n junctions, 879
n-type semiconductor, **875**, 876, 878
Nuclear chemistry, **50**
Nuclear equation, **50**
Nuclear reaction, 50
Nuclear stability, 54–56
Nucleons, **51**
Nucleotides, 3
Nucleus (atomic), **44**
Numerical prefixes, 143
Numerical prefixes, for naming compounds, 143
Nylon 66, 927, 930
Nylons, 930
- O
- Octahedral metal complexes, 824, 833–835, 842–844
crystal field theory and, 845–849
Octahedral molecular shapes, 162, 163
Octane, 285
Octane rating, 301, 341
Octet rule, **112**–**113**
electron-dot structures and, 144, 147
polyatomic molecules and, 147, 149–150
redox reactions and, 241
-oic acid, 925
Oil, 391
Oil drop experiment, 42–43
-one, 923
1-2-3 ceramic superconductor, 885
1-2-3 compound, 880
Onnes, Heike Kamerlingh, 879
Optical isomers, 839
Orbital energy levels, in multielectron atoms, 82–83
Orbitals (ψ)
antibonding molecular, **173**, 176

- atomic, 172
bonding molecular, 173, 176
calculating energy difference between two, 81
d, 78–79, 170
electron spin and, 82
f, 78–79
hybrid atomic. See Hybrid atomic orbitals
molecular, 172–174
molecular orbital theory, 172–174
p, 78, 165
periodic table and, 87–89
quantization of energy of, 80–81
quantum numbers and, 73–76
s, 76–77, 165–166
shapes of, 76–79
- Ores, 862
concentration and chemical treatment of, 863–864
- Organic chemistry, 137, 898–939, 899
alcohols, 920–921
aldehydes, 923–924
alkanes, 901–903
naming, 906–909
reactions of, 911–912
alkenes, 914–916
reactions of, 916–917
alkynes, 914–916
reactions of, 916–917
amides, 926–929
amines, 922
aromatic compounds, 918–920
carboxylic acids, 924, 925
cycloalkanes, 909–911
esters, 925–926
ethers, 922
functional groups, 912–914
ketones, 923–924
organic molecules
families of, 912–914
nature of, 899–901
shapes of, 904–905
organic structures, drawing, 903–904
synthetic polymers, 929–931
- Organic compounds, 775
- Organic molecules, 899–901
families of, 912–914
shapes of, 904–905
- Orlon, 929
- ortho*-, 919
- Orthoclase, 780, 781
- Orthophosphoric acid, 792
- Osmosis, 413–415
reverse, 415–416
of solution, 403
- Osmotic pressure, 413–415
- calculating molecular mass of solute using, 416–417
- Ostwald process, 788
- ous*, 118–119
-ous acid, 234
- Overvoltage, 711–712
- Oxalate ion, 825
- Oxalic acid, 221, 250, 514, 582
- Oxaloacetic acid, 184, 528
- Oxidation, 237
of copper, 815, 821–822
of iron, 237, 240, 430
- Oxidation number (oxidation state), 237–238
assigning, 238
of copper, 821
of halogen, 798
of nitrogen, 785
of oxides, 746
of transition elements, 816–817
- Oxidation potentials, of transition elements, 815–816
- Oxidation-reduction (redox) reactions, 226, 236–239
activity series of elements and, 242–244
applications, 251–252
balancing, half-reaction method, 245–249
galvanic cells and, 681–686
identifying, 240–241
predicting products of, 244
predicting whether spontaneous, 694–695
redox titrations, 249–251
- Oxide ceramics, 882
- Oxides, 123, 125, 744–747, 767
acidic, 745
amphoteric, 745
basic, 745
carbon, 776
covalent, 743
determining formulas and properties of, 747
ionic, 743
nitrogen, 786–787
phosphorus, 791–792
sulfur, 796–797
uses of, 747
- Oxidizing agents, 240–241
arranging in order of increasing strength, 694
in galvanic cell, 683
identifying, 241
ozone as, 752
- Oxoacids, 234, 571–573
common, 234
of halogens, 798
of phosphorus, 791–792
of sulfur, 796–797
- Oxoacid salts, 798
- Oxoanions, 120–121, 234

- Oxygen, 9, 741
alkali metals reacting with, 123
aluminum and, 773
as chemical, 742
combustion and, 38
diatomic, 100, 174–175, 748, 766
in dry air, 305, 306
in Earth's crust, 5
electron configuration of, 85
formation of, 57
hemoglobin and, 524–525
in human body, 5
ionization energy of, 107
isolation of, 38
oxidation number of, 238, 239
oxides, 744–747
ozone, 751–752
partial pressure of, in human lungs and blood, 524
preparation and uses of, 742–743
properties of, 793
reactivity of, 743–744
standard molar entropy, 652
symbol, 4
- Oxygen molecule, 100, 174–175, 748, 766
- Oxygen transport, breathing and, 524–525
- Oxyhemoglobin, 776, 827
- Ozone, 153–154, 751–752
air pollution and, 329, 441
decomposition of, 455, 457
electron-dot structure of, 154
oxidizing properties, 752
in upper atmosphere, 455, 751
valence bond theory and, 177
- Ozone layer, 330–331
- P**
- Packing arrangements, 366–372
body-centered cubic, 367, 370
cubic closest-packed, 367, 370
hexagonal closest-packed, 367, 368, 370
simple cubic, 367, 370
unit cells, 368–372
- Palladium, 738
- para*-, 919
- Paraffin wax, 901
- Parallelepipeds, 368
- Paramagnetic, 175, 843
- Paraperiodic acid, 798, 799
- Parhelion, 66
- Partial charges, 140
- Partial pressures, 320–322
calculating equilibrium partial pressures from initial, 509–510
equilibrium equations and, 498
of oxygen in human lungs and blood, 524
- Parts per billion (ppb), 395
- Parts per million (ppm), 395
- Pascal (Pa), 307
- Pauli, Wolfgang, 82
- Pauli exclusion principle, 82, 84
- Pauling, Linus, 166
- p*-block elements, 87, 765, 770
- p*-block metals, 862, 863
- PEM fuel cells. See Proton-exchange membrane fuel cells
- Pentane, 350, 351, 353, 354, 394, 902
- Pentyl acetate, 926
- per*-, 121
- Percent composition, 208–211
calculating empirical formula from, 210
calculating from formula, 210–211
- Percent dissociation, 558
common-ion effect and, 593–594
Henderson-Hasselbach equation and, 599
in solutions of weak acids, 558–559
- Percent ionic character, calculating from dipole moment, 345
- Percent saturation, of oxygen carried by hemoglobin, 525
- Percent yield, 197
- Perchlorate, 120, 121, 230
- Perchlorate salts, 799
- Perchloric acid, 234, 541, 798, 799
- Perhalic acid, 798
- Periodicity, 62
of atomic radii, 63–64
electron affinities and, 110
ionization energy and, 106
- Periodic properties, electron configurations and, 89–91
- Periodic table, 5, 6–9, 63–64
atomic radii and, 90
d-block elements, 87
development of, 6–7
electron configurations and, 87–89
electronegativity values and trends in, 141
f-block elements, 87
main-group element trends, 766–768
metals, 861–862
p-block elements, 87
s-block elements, 87
transition elements, 809–810
- Periods (periodic table), 7, 8, 9
- Perlon, 930
- Permanganate, 121
- Peroxides, 120, 123, 238, 744, 748–749
hydrogen, 749–751
- PET (positron emission tomography), 52
- Petroleum, 294
refining, 286, 417–419
- Pewter, 390

- pH, **546**
calculating
 of acidic salt solution, 568
 of basic salt solution, 569
 in solution of diprotic acid, 560
 in solution of weak acid, 556–558
 in solution of weak base, 563–564
 in sulfuric acid solution, 561–562
common-ion effect and, 590, 593–594
electrochemical determination of, 698–700
of human blood, 586, 587, 595
measuring, 547–548
meter, 548
percent dissociation of weak acids, 558–559
scale, 546–547
solubility and solution, 618
in solutions of strong acids and strong bases, 549–551
- Phase, **355**
- Phase changes, 354–358, 657
- Phase diagrams, **376**–378, 410
- Phases
- condensed, 390
 - valence bond theory and, 165
 - of wave, **77**–78
- Phenol, 582, 633, 921
- Phenolphthalein, 207, 547, 548, 588, 606, 607
- Phosphine, 147, 790
- Phosphor, 92
- Phosphoric acid, 233, 234, 559, 766, 791–792
- Phosphorous acid, 791
- Phosphorus, 9, 11, 788–793
 - bonding and, 789–790
 - compounds, 790–793
 - ionization energy of, 107
 - oxidation of, 867
 - properties of, 783
 - reactivity of, 237, 789
 - red, 789
 - symbol, 4
 - white, 789
- Phosphorus halides, 790
- Phosphorus pentachloride, 151–152, 160–161, 790
- Phosphorus trichloride, 143, 790
- Photochemical smog, 329
- Photoconductor, 800
- Photocopiers, 800
- Photoelectric effect, 69–70
- Photoelectron spectroscopy, 97
- Photons, **69**–71
- Photovoltaic (solar) cells, 876, 878–879
- pH titration curves, **601**–602, 604, 605–606
- Physical change, enthalpies of, 272–273
- Physical property, **9**, 10
 - band theory and, 872
- Pico-, 13
- Picometer (pm), **15**
- Pig iron, 866
- Pi (π) bond, **169**, 170, 177, 743–744, 769, 774, 901
- Piperidine, 565
- Pipet, 204
- Planck's constant, 69
- Plane-polarized light, 838–839
- Plastic sulfur, 795
- Platinum, 865
- Platinum-group metals, 862
- Plato, 37
- p-n* junction, 876–877
- p-n-p* junctions, 879
- Polar covalent bonds, **140**–142
 - dipole moments and, 344–347
 - in organic molecules, 900
- Polarimeter, 839
- Polarizability, 350
- Pollution
- acid rain, 576–577
 - air, 329
- Polonium, 43, 367, 793
- Polyacrylonitrile, 888, 896
- Polyatomic ions, **101**
 - common, 121
 - compounds with, 120–122
 - oxidation number of, 239
- Polyatomic molecules, electron-dot structures of, 147–153
- Polydentate ligands, 825, **826**
- Polyesters, 931
- Polyethylene, 168, 929
- Polymerization, 929–930
- Polymers, **929**–930
 - synthetic, 929–930
- Polymetaphosphoric acid, 792
- Poly(methyl cyanoacrylate), 938
- Polyphosphoric acid, 792
- Polypropylene, 929, 930
- Polyprotic acids, **559**–562
- Polyprotic acid-strong base titrations, 609–612
- Polystyrene, 929
- p* orbitals, 78, 165, 915
 - of oxygen, 743–744
 - pi bonds and, 768–769
- Porphyrin, 826–827
- Positron, 57, 669
- Positron emission, **52**–54
- Positron emission tomography (PET), 52
- Potash, 117
- Potassium, 6, 7, 812
 - electron configuration of, 810
 - flame test for, 627
 - properties of, 10, 123

- reaction with water, 124
symbol, 4
- Potassium-40, 52
- Potassium bromide, 118
- Potassium chlorate, 191, 470, 799
- Potassium chloride, 227
- Potassium chromate, 627
- Potassium dichromate, 245
- Potassium hexacyanoferrate, 828
- Potassium hydroxide, 234, 549
- Potassium iodide, 38, 225, 228–229
- Potassium nitrate, 38, 225, 229
- Potassium permanganate, 249
- Potassium superoxide, 123
- Potential energy (E_p), 20, 136, 263–264
- Precipitation reaction, 225, 230–232
identifying, 231
of ionic compounds, 623–625
predicting products of, 230–231
to prepare substance, 231
separation of ions by selective, 625
from supersaturated solution, 399–400
- Precision, 21–22
- Prefixes
for naming compounds, 143
numerical, 143
SI units, 13
- Pressure (P), 306–309. See also Vapor pressure
atmospheric, 307, 328
changes in, in equilibrium mixture, 515–517
converting between different units of, 308–309
enthalpy change and, 271
melting point and, 378
osmotic, 413–415
solubility and, 401–403
standard temperature and pressure, 315, 318
units of, 17
converting between, 308–309
volume and, 310–311
- Pressure-volume (PV) work, 267–269
- Priestley, Joseph, 37–38, 741
- Primitive-cubic unit cell, 368, 369
- Principal quantum number (n), 74
- Principal reaction, 554
- Probability, entropy and, 644, 647–649
- Production
of aluminum, 865
of carbon dioxide, 776–777
of ethanol, 917, 921
of lithium, 865
of magnesium, 865
of mercury, 865
of steel, 509, 742, 820, 866–867
of sulfuric acid, 794, 797
- Products, 493
- Promethium, 54
- Propane, 137, 138, 190–191, 267, 902, 908, 911
1,3-Propanediol, 383
1,2,3-Propanetriol (glycerol), 921
- Propanol, 928
1-Propanol, 920
2-Propanol, 920, 921, 924
- Propanone (acetone), 349, 386, 425, 770, 913, 923, 924
- Propene, 300, 444, 534
- Property, 9
chemical, 9, 10
extensive, 9
intensive, 9
physical, 9, 10
- Proportionality constant, 69
- Propyl, 908
- Propyl butanoate, 928
- Propylene, 766, 914, 929
- Propylene glycol, 254
- Propyne, 916
- Proteins, electrophoresis of, 628–629
- Protium, 46
properties of, 732–733
- Proton-exchange membrane (PEM) fuel cells, 707
- Protons, 44, 57
acid definition and, 537–539, 541–542, 543
hydrated, 543
- Proust, Joseph, 39
- Prozac (fluoxetine), 218
- Pseudohalide, 777
- p subshell, 74
- p -type semiconductor, 875, 876, 878
- Pyrex, 376
- Pyridine, 565, 582, 633
- Pyrite, 794
- Pyrophosphoric acid, 792
- Q
- Qualitative analysis, 626–627
- Quantization, 70
- Quantum, 70
- Quantum dots, 889–890
- Quantum mechanical model, 72–73
atomic line spectra and, 80–81
- Quantum numbers, 74–76
angular-momentum, 74
magnetic, 74–75
orbitals and, 74–76
principal, 74
spin, 82
- Quartz, 363, 375, 781, 882
- Quartz glass, 376
- Quicklime, 117
- R
- Racemic mixture, 839

- Radiant energy, 64
Radioactive decay processes, 51–53
Radioactive decay rates, 446–449
Radioactivity, 51–54
 alpha radiation, 51, 53
 beta radiation, 51–52, 53
 gamma radiation, 51, 52, 53
 positron emission and electron capture, 52–54
Radiocarbon dating, 488
Radio waves, 64
Radium, 10, 43, 125
Radon, 11, 43, 127
Rankine temperature scale, 341
Raoult's law, 404–405, 408–409
 fractional distillation and, 417
Rapeseed, 294, 295
Rate constant, 434
 graphical method of determining, 442–443
 rate law and, 434, 437
Rate-determining step, 459
Rate laws, 434–436
 for elementary reactions, 457–459
 experimental determination of, 436–440
 initial rates method, 436–440
 integrated rate law for first-order reaction, 441–444
 for overall reactions, 459–463
Reactants, 493
 concentration in solution, 202–204
 excess, 200
 limiting, 200
Reaction intermediate, 455, 456
Reaction mechanisms, 454–457
 procedure used in studies of, 461–463
Reaction mixture, 695–698
Reaction order, 434–436, 437
 determining graphically, 451–452
 rate law and, 435–436
Reaction quotient (Q_c), 503–504, 624, 642, 696
Reaction rates, 429–434, 430
 catalysis and, 470–474
 equilibrium state and, 491, 493
 temperature and, 464–467
Rectifier, 877
Redox reactions. See Oxidation-reduction (redox) reactions
Redox titration, 249–251
Red phosphorus, 789
Reducing agents, 240–241, 244, 683, 694
Reduction, 237
 of metals, 864–865
Refining, 286, 865–866
Repulsions, electron-electron, 136
Resonance, electron-dot structures and, 153–155
Resonance arrow, 154
Resonance form of benzene, 918
Resonance hybrid, 153–154
Resonance structures, 752
 drawing, 154
Respiration, 252
Retinal (vitamin A), 935
Reverse bias, 877
Reverse osmosis, 415–416
Rhenium oxide, 373
Rhombic sulfur, 795
Ribose, 213
Ringer's solution, 220
Risks, from chemicals, 29
Roasting, 864
Roman numerals
 in compound names, 118–119
 in coordinate compounds, 829
Rounding off, 23–25
Rubber, 363
Rubbing alcohol, 921
Rubidium, 10, 123, 124
Rubidium fulleride, 375
Ruby, 773, 808
Rusting. See Corrosion
Ruthenium chelate, 890
Rutherford, Ernest, 43–44
Rutile, 851, 862
Rydberg, Johannes, 68
Rydberg constant, 67
- S
- Sacrificial anode, 710
Salt bridges, 683–684
Salt hydrolysis reaction, 567
Salt mining, 98, 128
Salt(s), 128, 225, 235, 537
 acid-base properties of, 566–570, 570
 acidic, 566
 basic, 566
 chlorate, 799
 coordination compounds and, 823
 hydrated, 755
 neutral, 566
 oxoacid, 798
 pH and solubility of, 618
 from strong acid and strong base, 588
 that contain acidic cations and basic anions, 569–570
 that yield acidic solutions, 566–568
 that yield basic solutions, 568–569
 that yield neutral solutions, 566
- Sand, 375
Saponification, 926
Sapphire, 773
Saturated, 399, 914
s-block elements, 87, 765
s-block metals, 862, 863

- Scandium, 85, 812, 816
Scheele, Karl Wilhelm, 741
Schrödinger, Erwin, 72
Schrodinger wave equation, 165
Scientific notation, 13, 23
Sea of instability, 54–55
Seawater, 753
Second law of thermodynamics, 653–655
 entropy and, 653–655
Second-order reactions, 449–453
Second-row elements
 compounds containing only, 147–149
 properties of, 768–770
Second (s), 12
Seesaw molecular shapes, 161, 163
Selenium, 11, 793, 794, 800
Semiconductors, 12, 861, 873–875
 applications, 876–879
 nanoparticles and, 889
 n-type, 875, 876, 878
 p-type, 875, 876, 878
 used in LEDs, 876, 877–878
Semimetals, 8, 12, 767
Semipermeable, 413
Serine, 601
Sevoflurane, 332, 333
Shells, 74, 75
Side reaction, 197
Sigma (σ) bonds, 165
Sigma star, 173
Significant figures, 22–23, 24
 calculation using, 24–25
 unit conversion using, 27–28
Silica, 375–376, 780
Silicates, 779–781, 861
Silicon, 7, 12, 57, 778–782, 873, 874
 in Earth's crust, 5
 electron configuration of, 85
 ionization energies of, 109
 in photovoltaic cells, 878–879
 properties of, 774
 silicates, 779–781
 in solar cells, 778
 symbol, 4
Silicon carbide, 777, 882, 883, 887, 888
Silicon dioxide, 747, 769
Silicon nitride, 882
Silicon-oxygen double bond, 375
Silicon tetrachloride, 384
Silver, 4, 6, 48, 243–244, 367, 778, 865
Silver bromide, 622
Silver carbonate, 230
Silver chloride, 9, 276, 614, 619–620, 625
Silver chromate, 614
Silver nitrate, 9
Silver sulfate, 614
Simple cubic packing, 367, 370
Single bond, 145
Single-pan balance, 14, 22
Sintering, 883
SI units, 12
 prefixes, 13
Size, dispersion forces and, 350
Slag, 866
Slaked lime, 549
Smalley, Richard F., 775
Smog, 329
Soda ash, 777
Sodium, 6, 7, 367, 430, 865
 electron configuration of, 85
 flame test for, 627
 ionization energy of, 109
 line spectrum of, 67
 manufacture of, 713
 properties of, 10, 123
 reaction with chlorine, 101
 reaction with water, 124
 in redox reaction, 241
 symbol, 4, 5
Sodium acetate, 591–592
Sodium azide, 317
Sodium bicarbonate, 121
Sodium chlorate, 192, 799
Sodium chloride, 101, 102, 117, 681, 713
 bonding in, 362
 dipole moment, 344, 345
 dissolution of, 226, 391, 645
 electrolysis of aqueous, 711–712
 electrolysis of molten, 710–711
 formation of, 113–114
 ionic bond in, 140, 141–142
 melting point, 16, 379
 physical properties of, 139
 properties of, 9
 solubility of, 400
 solution of, 566
 unit cell of, 372
Sodium cyclamate, 29
Sodium hydrogen carbonate, 206, 777
Sodium hydroxide, 208, 226, 234, 549, 681
 in acid-base titrations, 602–605, 610–611
 manufacture of, 713–714
Sodium hypochlorite, 252, 786
Sodium lamp, 66
Sodium nitrate, 400
Sodium perchlorate, 799
Sodium peroxide, 748
Sodium triphosphate, 792
Solar energy, 669–670
Solar panels, 12
Sol-gel method, 884
Solid(s), 305, 306, 343

- amorphous, **362**
concentration of pure, 612
crystalline, **362–364**
 covalent network, 374–376
 ionic. See Ionic solids
 metallic, **364**
 molecular, **362–363**, 364
 packing of spheres in, 366–368
 unit cells, 368–372
entropy and, 288
kinds of, 362–364
phase changes, 355–358
phase diagrams, 376–378
solubility of, 400–401
standard free energies of formation for, 661
standard molar entropies of, 652
structure of, 364–366
x-ray crystallography of, 364–366
- Solid-state materials, 861
ceramics, **883–886**
composites, **887–888**
nanotechnology, 889–890
semiconductors, **873–875**
 applications, 876–879
superconductors, **879–883**
- Solubility, 230–232, 400**
amphotericism and, 622–623
calculating from solubility product, 613–616
chemical structure and, 394
common-ion effect and, 616–617
complex ion formation and, 618–622
factors affecting, 399–403, 616–623
guidelines, 230
Henry's law, **401–402**
pH of solutions and, 618
pressure and, 401–403
temperature and, 400–401
- Solubility equilibria, 612–613
Solubility product constant (K_{sp}), 260
Solubility product in acid (K_{spa}), 625
Solubility product (solubility product constant) (K_{sp}), **612**
calculating solubility from, 613–616
measuring, 613–616
- Solute, 202, 390**
calculating number of moles of in solution, 203
diluting concentrated solution and, 204
solutions with nonvolatile, 403–407
solutions with volatile, 408–409
using osmotic pressure to calculate molecular mass of, 416–417
- Solute-solute interactions, 390, 393–394
Solutions, 389–390
 aqueous. See Aqueous solutions
 basic salt, 605
 boiling-point elevation of, 409–413
- buffer, **595–598**
colligative properties of, **403**
 uses of, 415–417
- dialysis, 420
diluting concentrated, 204–205
energy changes and, 390–394
enthalpies of, 392–394
entropies of, 392
fractional distillation, 417–419
freezing-point depression of, 409–413
heat of, 392
kinds of, 390
molarity of, 202–204
with nonvolatile solute, 403–407
osmosis and osmotic pressure, **413–415**
pH in, of strong acids and strong bases, 549–551
polyprotic acid, 559–562
Raoult's law, **404–405**, 408–409
salt, 566
salts that yield acidic solutions, 566–568
salts that yield basic solutions, 568–569
salts that yield neutral, 566
saturated, **399**
solubility and pH of, 618
strong acid, 549–551
strong base, 549–551
supersaturated, **399–400**
titration, **206–208**
units of concentration, 394–399
vapor pressure lowering of, 403–409
with volatile solute, 408–409
- weak acid
 calculating equilibrium concentrations in, 553–558
 equilibria in, 551–553
 percent dissociation in, 558–559
- weak base, 562–564, 608
writing equilibrium equations for reactions in, 496
- Solution stoichiometry, 205–206
Solvated, 391
Solvent, 202, **390**
 ionic liquids as, 380
- Solvent-solute interactions, 390, 393–394
Solvent-solvent interactions, 390, 393–394
s orbitals, 76–77, 165–166
Space-filling models, 100
 $sp^3 d^2$ hybrid orbitals, 842, 843, 844
Specific heat capacity, **276–277**
- Spectator ions, **229**
Spectrochemical series, **848**
- Speed
 of chemical reaction, 428
 of light, 65
 of molecules, 323–325

units of, 17
Sphalerite, 864
Spheres, packing of. See Packing arrangements
sp hybrid orbitals, **169**–170
 metal complexes and, 843
 organic molecules and, 901
*sp*² hybrid orbitals, **168**–169
 organic molecules and, 901
*sp*³ hybrid orbitals, **166**–168
 boron hydrides and, 772
 metal complexes and, 842, 843
 organic molecules and, 901
Spin-paired molecules, 174
Spin quantum number (*m_s*), **82**
Spontaneous processes, **287**, 288, 291, **641**–643
 enthalpy and, 643–647
 entropy and, 644–647, 654–655
 free energy and, 656–658
 second law of thermodynamics and, 654–655
Square planar complexes, 832, 833–835
Square planar metal complexes, 824, 842–844
 crystal field theory and, 849–850
Square planar molecular shape, 162, 163
Square pyramidal molecular shape, 162, 163
s subshell, 74
Stability constant, 619
Stalactites, 618
Stalagmites, 618
Standard cell potential (*E*[°]), **688**–689
 equilibrium constants and, 700–702
Standard electrode potentials, **692**
Standard enthalpy of formation, 690
Standard enthalpy of reaction, **271**
 using bond dissociation energies to calculate, 284–285
 using Hess's law to calculate, 279–280
 using standard heats of formation to calculate, 283
Standard entropy of reaction, **652**–653
Standard free-energy change, **658**–661
 calculating vapor pressure from, 668
 equilibrium constant and, 667
Standard free energy of formation, **661**–663
Standard heats of formation, **281**–283
Standard hydrogen electrode (S.H.E.), **690**–691
Standard molar entropies (*S*[°]), **651**–652
Standard molar volume, **313**, 315
Standard pressure, 271
Standard reduction potentials, 689–693, **691**
 of metals, 865
 using, 693–695
Standard temperature and pressure (STP), **315**, 318, 739
State function, **266**–267
 entropy as, 643
 reversibility of, 266
Statute miles, 35
Steam-hydrocarbon re-forming process, **734**–735, 757
Steel, 863
 production of, 509, 742, 820, 866–867
Stereoisomers, 831, **832**–833
Steric factor (*p*), **466**–467
Stoichiometry, **194**–197
 gases and, 317–320
 redox, 249–251
 solution, 205–206
STP. See Standard temperature and pressure
Straight-chain alkanes, **902**, 906
Stratosphere, 329
Strip mining, 286
Strong acids, **233**, **541**, 542
 pH in solutions of, 549–551
Strong acid-strong base reactions, 587–588
Strong acid-strong base titrations, 602–604, 605–606
Strong acid-weak base reactions, 589
Strong base-diprotic acid titrations, 609–612
Strong base-polyprotic acid titrations, 609–612
Strong bases, **233**, 542
 pH in solutions of, 549–551
Strong base-strong acid reactions, 587–588
Strong base-strong acid titrations, 602–604, 605–606
Strong base-weak acid reactions, 588
Strong base-weak acid titrations, 604–607
Strong electrolytes, **227**, 228, 233, 541
Strong-field ligands, **848**
Strontium, 6, 10, 125
Structural formula, **136**–137
Strychnine, 29, 564
Styrene, 299, 914, 929
Subatomic particles, 44
Sublimation, 114, **272**, 355
 enthalpy of, 272
Subshell notation, 74
Subshells, **74**
Subsidiary reactions, **554**
Substitution reactions, **919**
Substrate, 477
Succinic acid, 260
Sucrose, 195, 226, 362
Sulfate, 230
Sulfate ion, 101, 120, 121
Sulfite ion, 120
Sulfur, 4, 6, 11, 40, 48, 794–798
 combustion of, 41, 744
 compounds of, 796–798
 ionization energy of, 107
 monoclinic, 795
 oxides of, 796–797
 oxoacids of, 796–797

- plastic, 795
properties of, 793
rhombic, 795
symbol, 4
Sulfur dioxide, 329, 576, 743, 796, 864
Sulfur fluoride, 161
Sulfur hexafluoride, 162
Sulfuric acid, 234, 239, 541, 561–562, 575
acid rain and, 329, 576, 864
as chemical, 766
dissociation constant for, 559
dissociation of, 233
production of, 794, 797
structure of, 571
uses of, 797
Sulfurous acid, 576, 796
Sulfur tetrafluoride, 143, 149–150, 151
Sulfur tetroxide, 185
Sulfur trioxide, 576, 796
Superconducting transition temperature (T_c), **879**
Superconductors, 861, **879**–883
 applications, 881–883
 doped, 883
Supercritical carbon dioxide, 777
Supercritical fluid, **377**, 777
Supernovas, 57
Superoxides, 123, **744**, 748–749
Supersaturated solutions, **399**–400
Surface tension, **354**
Surroundings, 265
Suspensions, 389
Sverdrups (sv), 35
Symbols
 chemical, 192–193
 element, 4, 5
 isotope, 46
Symmetry plane, **837**
Synthesis gas, 734
Synthetic polymers, 929–930
Synthetic products, 932
Syringe, 18, 19
System, 265
Système Internationale d'Unités (SI), 12
- T**
- Table salt.** See **Sodium chloride**
- Talc**, 780
- Technetium**, 54
- Tellurium**, 12, 794
 properties of, 793
- Temperature**, 12, **264**
 altitude vs., 328–329
 changes in, in equilibrium mixture, 518–520
 critical, 377
 density and, 18–19
 effect on solubility, 400–401
- effects on sulfur, 795
 enthalpy change and, 271
 entropy and, 650–651, 654
 equilibrium constants and, 495, 518, 523
 free energy and, 656–657
 free-energy equation and, 290–292
 intermolecular forces and, 347
 kinetic energy and, 323–325
 kinetic-molecular theory of gases, 322–325
 measuring, 15–16
 molality and, 397
 phase changes and, 355–356
 reaction rates and, 464–467
 solubility and, 400–401
 spontaneity and, 657–658
 standard temperature and pressure, **315**, 318
 surface tension and, 354
 vapor pressure and, 358–362
 volume and, 311–312
- Tera-**, 13
- Terephthalic acid**, 931
- Termolecular reactions**, **455**–456, 459
- Testosterone**, 924
- Tetraaquachlorochromium(III) chloride**, 828
- Tetrachloromethane**, 345
- Tetracycline**, 922
- Tetrafluoroborate**, 379
- Tetrahedral metal complexes**, 824, 843
 crystal field theory and, 849–850
- Tetrahedral molecular shapes**, 159, 163, 170
- Tetraphosphate decoxide**, 743
- Tetravalent**, 899
- Thalidomide**, 182
- Thallium**, 770, 771
- Thallium ions**, 119
- Theory**, 4
- Thermal energy**, 264
- Thermistors**, 770
- Thermite reaction**, 188, 273
- Thermochemical properties**, 285
- Thermochemistry**, **263**
- Thermodynamics**, **640**
 enthalpy, 643–647
 entropy, 643–647, 669–670
 probability and, 647–649
 second law of thermodynamics and, 653–655
 temperature and, 650–651
 first law of, **653**
 free energy, **656**–658
 chemical equilibrium and, 665–668
 free-energy changes and composition of reaction mixture, 663–665
 second law of, **653**–655
 spontaneous processes, **641**–647
 standard entropy of reaction, **652**–653

standard free-energy change for reactions, **658**–**661**
standard free energy of formation, **661**–**663**
standard molar entropy, **651**–**652**
third law of, **650**
Thermodynamic standard state, **271**–**272**, 495
Thermometer, floating-bulb, 2
Thermosphere, 329
Thioacetamide, 796
Thiocyanate, 513–514
Thiocyanate ion, 825
Thiols, 221
Thiosulfate, 622
Third law of thermodynamics, **650**
Thomson, J. J., 41
Thorium-234, 51
Three-center, two-electron bond, **772**
Tie line, 418
Time, 12
 entropy and, 669
Tin, 6, **782**–**783**
 gray, 783
 properties of, 774
 white, 783
Tin ions, 119
Titanium, 241, 851, 861
 anodizing, 719
Titanium ion, 119
Titration, **206**–**208**, **395**
 diprotic acid-strong base, 609–612
 pH titration curves, **601**–**602**, 604, 605–606,
 608
 polyprotic acid-strong base, 609–612
 redox, 249–251
 strong acid-strong base, 602–604
 weak acid-strong base, 604–607
 weak base-strong acid, 607–609
Titration curves, 608
TNT, 272, 919
Toluene, 285, 408, 417–418, 919
Toner, 800
Torr, 307
Torricelli, Evangelista, 307
Toxicity, 29
Trans isomer, **833**, 836
Transistors, 876, 879
Transition elements, 809–810
 atomic radii, 813–815
 chromium, 818–820
 copper, 821–822
 densities of, 813–815
 electron configurations, 810–812
 ionization energies of, 815–816
 iron, 820–821
 melting points of, 813
 metallic, 813
oxidation potentials of, 815–818
oxidation states of, 816–817
properties of, 811, 813–816
Transition metal complexes
 bonding in, 825–827
 color of, 840–842
 crystal field theory and, **845**–**850**
Transition metal groups, 8, **9**
Transition metal ions, 119
Transition metal oxides, 476
Transition metals
 ion formation, 104
 molecular configurations of ions, 104
 on periodic table, 8, 9
 reactions of halogens with, 126
 in redox reactions, 241
Transition state, **465**
Transuranium elements, **54**
Tremolite, 780
Triads, 6
Trifluoromethanesulfonate, 379
Trigonal bipyramidal molecular shape, 160–161,
 163
Trigonal planar molecular shape, 158, 159, 163,
 170
Trigonal pyramidal molecular shape, 159, 163
Triiodide ion, 161
Trimethylamine, 563, 922
Trimethylgallium, 878
Trinitrotoluene (TNT), 272, 919
Trioxalatoferrate(III) anion, 830
Triphosphor, 92
Triphosphoric acid, 792
Triple bond, **145**
 carbon-carbon, 170
Triple point, **376**–**377**
Triple superphosphate, 792
Tripropylamine, 922
Tripropylammonium chloride, 922
Triprotic acid, **233**
Tris(ethylenediamine)cobalt(III) chloride, 829
Tris(ethylenediamine)cobalt(III) ion, 838
Tritium, 46, 732–733
Troposphere, 328, 329–330
Trouton's rule, 677
T-shaped molecule, 161, 163
Tungsten, 5, 865
Turnover number, 477
Tyrian purple, 932

U

Ultraviolet region, 64
Unimolecular reaction, **455**, 459
Unit cells, in crystalline solids, 368–372
 body-centered cubic, **368**, 369
 face-centered cubic, **369**

- identifying, 371
primitive-cubic, **368**, 369
- Units
of concentration, 394–399
converting from one to another, 25–28
formula, **190**
reaction rate, 431
- Universal indicator, 548
- Universe
hydrogen in, 732
increasing entropy of, 669
- Unsaturated, **914**
- Uranium, 326
- Uranium-235, 46
- Uranium-238, 51
- Urea, 181, 221, 676
- V
- Valence bond, **873**
- Valence bond theory, **165**–**166**, **842**–**845**
molecular orbital theory and, 177
- Valence electron configuration
of group 5A elements, 784
of group 6A elements, 793
- Valence shell, **87**
- Valence-shell electron-pair repulsion model. See
VSEPR model
- Vanadium, 816
- van der Waals, Johannes, 347
- van der Waals equation, **328**
- van der Waals forces, **347**
- van't Hoff factor (*i*), **405**, 410
- Vaporization, 355, 357
enthalpy of, 272
entropy of, 358
heat of, **357**
- Vapor pressure, **358**–**359**
calculating from standard free-energy change,
668
calculating in solution, 406
Clausius-Clapeyron equation, **360**–**362**
origin of, 359
solutions and, 403–409
- Vapor-pressure curves, 409, 410, 417
- Varistors, 895
- Very weak acids, 542
- Very weak bases, 542
- Vinegar, 208, 299
- Vinyl chloride, 301, 346, 676, 929
- Vinyl monomers, **929**
- Viscosity, **353**–**354**
- Visible region of electromagnetic spectrum, 67
- Vitamin A, 29, 935
- Vitamin C (ascorbic acid), 185, 210, 536, 537,
552, 932
- Volta, Alessandro, 681
- Voltage, changes in concentrations and, 697–698
- Voltaic cells. See Galvanic cells (voltaic cells)
- Voltmeter, 688
- Volt (V), 688
- Volume
amount and, 312–314
changes in, in equilibrium mixture, 515–517
expansion work and, 267–269
measuring, 16–18
pressure and, 310–311
of real gas, 327–328
of solution, 202–203, 204
standard molar, **313**, 315
temperature and, 311–312
units of, 17
- Volumetric flask, 18, 202
- von Laue, Max, 364
- VSEPR (valence-shell electron-pair repulsion)
model, **158**–**165**
organic molecules and, 900
ozone and, 752
- W
- Waage, Peter, 494
- Washing soda, 777
- Water, 738, 752–754
addition to alkenes, 917
alkali metals and, 123–124
alkaline earth metals and, 125
boiling point of, 360, 361
critical temperature of, 377
density of, 18–19, 19
dipole moment of, 345
dissociation of, 543–545, **544**, 564
electrolysis of, 712, 733
enthalpy and, 272
freezing of, 356
hard, 754
heating curve for, 357
heats of fusion and vaporization, 358
in human body, 225
hydrates, **755**–**756**
hydrogen bonds in, 351–352
as hydrogen source, 734
intermolecular forces of, 347
ion-product constant for, **544**–**545**
melting of, 355, 357, 377
molal boiling-point-elevation constant for, 411
molal freezing-point-depression constant for,
411
molar heat capacity of, 356
percent covering Earth's surface, 225
phase diagram for, 376
properties of, 733
purification of drinking, 753–754
reactivity of, 754–755

- shape of, 158, 159, 160, 743
specific heat of, 276
 sp^3 hybridization in, 167, 168
standard free energies of formation, 661
standard heat of formation for, 281
standard molar entropy for, 652
structure of, 145, 825
surface tension of, 354
vapor pressure of, 360
viscosity of, 354
- Water-gas shift reaction, **735**
- Water molecule, 100
- Water strider, 354
- Watt (W), 688
- Wave equation, 73
- Wave functions (ψ), **73–76**. See also Orbitals
- Wavelength (λ), 64, **65**
calculating frequency from, 65–66
- Waves
matter and, 71–72
nodes and, 77, 78
phases of, 77
- Weak acids, **233, 541, 542**
equilibria in solutions of, 551–553
calculating, 553–558
Henderson-Hasselbach equation and, 599
percent dissociation in, 599
pH in, 558–559
very, 542
- Weak acid-strong base reactions, 588
- Weak acid-strong base titrations, 604–607
- Weak acid-weak base reactions, 589–590
- Weak bases, **233, 542, 608**
equilibria in solutions of, 562–564
- Weak base-strong acid reactions, 589
- Weak base-strong acid titrations, 607–609
- Weak base-weak acid reactions, 589–590
- Weak electrolytes, **227, 228, 233**
- Weak-field ligands, **848**
- Weak hydrohalic acid, 768
- Weight, **14**
- Werner, Alfred, 823
- Whiskers, 887
- White phosphorus, 744, 764, 789
- White tin, 783
- Winkler, C. A., 783
- Wood alcohol, 920–921
- Work (w), **267**
expansion, 267–269
- X
- Xenon, 11, 127
- Xenon tetrafluoride, 162
- Xerography, 800
- X-ray crystallography, 364–366
- X rays, 64
- Y
- Yield, **197–199**
percent, **197**
 $-yne$, 916
- Z
- Zeolites, 780
- Zeroth-order reactions, **453–454**
- Zinc, 9, 229, 367, 810, 812
corrosion prevention and, 709
electron configuration, 85
in galvanic cell, 681–685
galvanizing and, 709
oxidation state of, 817
properties of, 811, 813
reduction of, 865
symbol, 4
- Zircon, 779
- Zirconia, 882
- Zirconium, 865, 866
- Zone refining, **778–779**